



SPARE PARTS CATALOG

VEHICLE 00000498

INDEX

CLASS: 54 (ENGINE)

| | |
|--|----|
| <i>GROUP: 54 00 (ENGINE UNIT)</i> | |
| <i>SUBGROUP: 54 00 02 (ENGINE UNIT)</i> | |
| Table 9000301 | 1 |
| Table 9009711 | 3 |
| <i>SUBGROUP: 54 00 03 (STRIPPED ENGINE)</i> | |
| Table 9000643 | 5 |
| <i>GROUP: 54 04 (CYLINDER BLOCK)</i> | |
| <i>SUBGROUP: 54 04 01 (ENGINE BLOCK ASSY)</i> | |
| Table 9000719 | 7 |
| Table 9000725 | 9 |
| <i>SUBGROUP: 54 04 20 (ASSEMBLY-SUMP)</i> | |
| Table 9000958 | 12 |
| <i>SUBGROUP: 54 04 30 (INSERTED BOX ASSEM.)</i> | |
| Table 9001154 | 14 |
| Table 9001175 | 16 |
| <i>SUBGROUP: 54 04 42 (ENGINE SUSPENSION)</i> | |
| Table 9008923 | 19 |
| Table 9011183 | 21 |
| Table 9011188 | 23 |
| <i>SUBGROUP: 54 04 50 (ENGINE BREATHERS)</i> | |
| Table 9001448 | 25 |
| Table 9001510 | 28 |
| <i>GROUP: 54 06 (CYLINDER HEAD)</i> | |
| <i>SUBGROUP: 54 06 10 (CYLINDER HEAD-COVERS)</i> | |

INDEX

| | |
|--|----|
| Table 9009949 | 31 |
| Table 9009950 | 34 |
| <i>GROUP: 54 07 (MANIFOLD)</i> | |
| Table 9001871 | 36 |
| Table 9001891 | 39 |
| <i>SUBGROUP: 54 07 80 (EXAUST MANIFOLD)</i> | |
| Table 9002111 | 42 |
| <i>GROUP: 54 08 (MOVERS)</i> | |
| <i>SUBGROUP: 54 08 01 (CRANK SHAFT ASSEMBLY)</i> | |
| Table 9002283 | 44 |
| Table 9002419 | 46 |
| <i>SUBGROUP: 54 08 20 (PISTON)</i> | |
| Table 9002526 | 48 |
| <i>SUBGROUP: 54 08 30 (ENGINE FLYWHEEL)</i> | |
| Table 9002706 | 50 |
| <i>SUBGROUP: 54 08 61 (PULLEY)</i> | |
| Table 9012795 | 52 |
| Table 9012820 | 54 |
| Table 9012833 | 56 |
| <i>GROUP: 54 10 (GEAR DRIVE)</i> | |
| <i>SUBGROUP: 54 10 00 (GEAR DRIVE)</i> | |
| Table 9003069 | 58 |
| <i>GROUP: 54 12 (TIMING SYSTEM)</i> | |
| <i>SUBGROUP: 54 12 50 (TIMING)</i> | |
| Table 9003170 | 60 |

INDEX

| | |
|---|----|
| <i>GROUP: 54 14 (INJECTION)</i> | |
| SUBGROUP: 54 14 00 (INJECTION) | |
| Table 9003314 | 62 |
| Table 9003332 | 64 |
| SUBGROUP: 54 14 22 (INJECTION PUMP DRIVE) | |
| Table 9003669 | 66 |
| SUBGROUP: 54 14 61 (STOP ENGINE) | |
| Table 9009208 | 69 |
| Table 9013643 | 71 |
| SUBGROUP: 54 14 65 (PRECISION ADJUSTMENT ACCELERAT) | |
| Table 9009151 | 73 |
| SUBGROUP: 54 14 80 (INJECTOR) | |
| Table 9003772 | 75 |
| Table 9003788 | 77 |
| <i>GROUP: 54 17 (GROUP-ELECTR.INJECT.)</i> | |
| SUBGROUP: 54 17 30 (ENGINE CABLE) | |
| Table 9009228 | 79 |
| SUBGROUP: 54 17 70 (SENDERS) | |
| Table 9013787 | 81 |
| Table 9013788 | 83 |
| Table 9013831 | 85 |
| Table 9013832 | 87 |
| <i>GROUP: 54 20 (FUEL INJECTION)</i> | |
| SUBGROUP: 54 20 00 (FUEL FILTER) | |
| Table 9004257 | 89 |

INDEX

| | |
|---|-----|
| SUBGROUP: 54 20 10 (FUEL PUMP) | |
| Table 9004406 | 91 |
| SUBGROUP: 54 20 14 (TBD) | |
| Table 9004958 | 93 |
| SUBGROUP: 54 20 20 (INJECTION PIPES) | |
| Table 9004499 | 95 |
| SUBGROUP: 54 20 30 (FUEL LINE) | |
| Table 9004646 | 97 |
| GROUP: 54 22 (AIR CLEANER) | |
| SUBGROUP: 54 22 01 (AIR CLEANER) | |
| Table 9005086 | 99 |
| GROUP: 54 24 (TURBOCHARGER) | |
| SUBGROUP: 54 24 00 (TURBOCHARGER & PIPES) | |
| Table 9010143 | 101 |
| Table 9010144 | 103 |
| SUBGROUP: 54 24 20 (TBD) | |
| Table 9005449 | 105 |
| GROUP: 54 27 (DIPSTICKS) | |
| SUBGROUP: 54 27 10 (OIL DIPSTICK) | |
| Table 9005835 | 108 |
| Table 9005847 | 110 |
| GROUP: 54 30 (LUBRICATION SYSTEM) | |
| SUBGROUP: 54 30 01 (OIL PUMP) | |
| Table 9006092 | 112 |
| SUBGROUP: 54 30 20 (OIL FILTERS) | |

INDEX

| | |
|---|-----|
| Table 9006308 | 114 |
| SUBGROUP: 54 30 50 (SUCTION STRAINER) | |
| Table 9006177 | 116 |
| Table 9010316 | 118 |
| Table 9010317 | 121 |
| SUBGROUP: 54 30 71 (OIL PUMP EMPTYING ASSY) | |
| Table 9009126 | 123 |
| GROUP: 54 31 (HEAT EXCHANGER) | |
| SUBGROUP: 54 31 00 (GEAR OIL HEAT) | |
| Table 9010368 | 125 |
| Table 9010369 | 127 |
| GROUP: 54 32 (COOLING SYSTEM) | |
| SUBGROUP: 54 32 01 (WATER PUMP) | |
| Table 9006718 | 129 |
| SUBGROUP: 54 32 30 (WATER PIPE) | |
| Table 9010467 | 131 |
| Table 9010468 | 134 |
| SUBGROUP: 54 32 40 (DELIV. HEATING PIPE) | |
| Table 9016235 | 136 |
| SUBGROUP: 54 32 63 (TEMP. REGULATOR) | |
| Table 9006979 | 138 |
| SUBGROUP: 54 32 90 (TBD) | |
| Table 9007523 | 140 |
| GROUP: 54 33 (SEA WATER COOLING CIRCUIT) | |
| SUBGROUP: 54 33 10 (SEA WATER LINES) | |

INDEX

| | |
|---|-----|
| Table 9007712 | 142 |
| SUBGROUP: 54 33 50 (REVERSER WATER HEAT EXCHANGER) | |
| Table 9007614 | 145 |
| SUBGROUP: 54 33 60 (FRESH WATER-SEA WATER HEAT EXC) | |
| Table 9007633 | 147 |
| SUBGROUP: 54 33 80 (SEA WATER PUMP) | |
| Table 9010775 | 150 |
| Table 9010776 | 152 |
| GROUP: 54 34 (FAN) | |
| SUBGROUP: 54 34 00 (FAN DRIVE) | |
| Table 9007184 | 154 |
| GROUP: 54 35 (POWER TAKE OFF) | |
| Table 9007912 | 156 |
| GROUP: 54 36 (STARTING SYSTEM) | |
| Table 9008000 | 158 |
| Table 9011598 | 160 |
| Table 9011616 | 162 |
| Table 9011627 | 164 |
| SUBGROUP: 54 36 50 (THERMO-STARTER) | |
| Table 9008160 | 166 |
| SUBGROUP: 54 36 70 (WATER HEATING) | |
| Table 9012213 | 168 |
| GROUP: 54 40 (GENERATOR) | |
| SUBGROUP: 54 40 00 (ALTERNATOR) | |
| Table 9008406 | 171 |

INDEX

| | |
|---|-----|
| Table 9008565 | 173 |
| Table 9011828 | 175 |
| Table 9011864 | 178 |
| Table 9011884 | 180 |
| Table 9011893 | 182 |
| Table 9011912 | 184 |
| SUBGROUP: 54 40 23 (ALTERNATOR CONTROL) | |
| Table 9008666 | 186 |
| GROUP: 54 42 (ACCESSORY CONTROLS) | |
| SUBGROUP: 54 42 00 (ACCESSORY CONTROLS) | |
| Table 9008780 | 188 |
| SUBGROUP: 54 42 70 (HYDRAULIC PUMP) | |
| Table 9011497 | 190 |
| GROUP: 54 56 (TBD) | |
| SUBGROUP: 54 56 10 (TBD) | |
| Table 9009163 | 193 |
| GROUP: 54 57 (SUSPENSION AND PROTECTION) | |
| SUBGROUP: 54 57 70 (SHIELDS) | |
| Table 9014283 | 195 |
| GROUP: 54 86 (ACCESSORIES) | |
| SUBGROUP: 54 86 00 (ACCESSORIES) | |
| Table 9009378 | 197 |
| Table 9009383 | 199 |
| Table 9009390 | 201 |
| SUBGROUP: 54 86 95 (INSTRUMENTS KIT) | |

INDEX

| | |
|---|-----|
| Table 9013530 | 203 |
| CLASS: 60 (MARINE GEAR) | |
| <i>GROUP: 60 35 (MARINE GEAR)</i> | |
| SUBGROUP: 60 35 20 (MARINE GEAR) | |
| Table 9014740 | 205 |
| Table 9014781 | 207 |
| Table 9014782 | 209 |
| Table 9014783 | 211 |
| Table 9014818 | 213 |
| Table 9014819 | 215 |
| Table 9014820 | 217 |
| Table 9014872 | 219 |
| Table 9014873 | 221 |
| Table 9014874 | 223 |
| Table 9014877 | 225 |
| SUBGROUP: 60 35 91 (TBD) | |
| Table 9016785 | 227 |
| Table 9016786 | 229 |
| Table 9016787 | 232 |
| Table 9016788 | 234 |
| <i>GROUP: 60 56 (ALARMS DEVICE)</i> | |
| SUBGROUP: 60 56 10 (ALARMS DEVICE - 12/24V) | |
| Table 9013533 | 237 |
| SUBGROUP: 60 56 90 (TBD) | |
| Table 9015772 | 239 |

INDEX

| | |
|---|-----|
| Table 9015773 | 241 |
| Table 9015774 | 243 |
| CLASS: 76 (ELECTRICAL SYSTEM) | |
| GROUP: 76 03 (BREAK-DOWN GENERATOR) | |
| SUBGROUP: 76 03 60 (ALTERNATOR) | |
| Table 9008717 | 245 |
| Table 9016524 | 247 |
| Table 9016532 | 249 |
| Table 9016538 | 251 |
| Table 9017440 | 253 |
| GROUP: 76 08 (STARTER MOTOR) | |
| SUBGROUP: 76 08 50 (STARTER MOTOR BREAKD) | |
| Table 9008108 | 255 |
| Table 9008120 | 258 |
| Table 9008135 | 260 |
| CLASS: 77 (INJECTION) | |
| GROUP: 77 31 (FUEL FILTER) | |
| SUBGROUP: 77 31 89 (FUEL FILTER) | |
| Table 9005008 | 262 |
| GROUP: 77 50 (INJECTOR) | |
| SUBGROUP: 77 50 00 (NOZZLE HOLDER) | |
| Table 9003868 | 264 |
| CLASS: 86 (ELECTRICAL PANEL) | |
| GROUP: 86 00 (ELECTRICAL PANEL) | |
| SUBGROUP: 86 00 04 (ELECTRIC INSTRUMENTS PANEL) | |

INDEX

| | |
|---------------------|-----|
| Table 9013950 | 268 |
| Table 9013951 | 270 |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 00

Subgroup: 54 00 02

Table: 9000301



1÷9

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 00

Subgroup: 54 00 02**Table: 9000301**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-----------------|----------------|--------|--------|-----------|
| 1 | 8005105 | 1 | ENGINE COMPLETE | 8361 SM 21,00 | | | |
| 2 | 8112428 | 1 | ENGINE COMPLETE | 8361 SRM 32.00 | | | |
| 3 | 8011324 | 1 | ENGINE COMPLETE | 8361 SRM 32.40 | | | |
| 4 | 8010804 | 1 | ENGINE COMPLETE | 8361 SRM 38.10 | | | |
| 5 | 8016347 | 1 | ENGINE COMPLETE | 8361 SRM 38.11 | | | |
| 6 | 8014767 | 1 | ENGINE COMPLETE | 8361 SRM 40.00 | | | |
| 7 | 8016354 | 1 | ENGINE COMPLETE | 8361 SRM 40.01 | | | |
| 8 | 8017591 | 1 | ENGINE COMPLETE | 8361 SRM 40.10 | | | |
| 9 | 8020327 | 1 | ENGINE COMPLETE | 8361 SRM 40,40 | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54


Group: 54 00

Subgroup: 54 00 02

Table: 9009711



1



2

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 00

Subgroup: 54 00 02

Table: 9009711

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|---------------|--------|--------|-----------|
| 1 | 8092905 | 1 | KIT-OVERHAL.GASKET | | | | |
| 2 | 8092906 | 1 | VALVES GRIND SET | ASSY | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 00

Subgroup: 54 00 03

Table: 9000643



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 00

Subgroup: 54 00 03

Table: 9000643

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------|---------------|--------|--------|-----------|
| 1 | 8091174 | 1 | SHORT BLOCK | ASSY | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 01

Table: 9000719



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 01**Table: 9000719**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|------------------|---------------|--------|--------|-----------|
| 1 | 4846322 | 1 | CRANKCASE | ASSY | | M | |
| 2 | 4731414 | 1 | THREADED PLUG | | | | |
| 3 | 8829588 | 14 | SCREW | | | | |
| 4 | 16991170 | 6 | LOCK PLUG | DIAM=36 MM | | | |
| 5 | 14323911 | 4 | LOCK PLUG | M10X1,25 | | | |
| 6 | 14328801 | 1 | LOCK PLUG | DIAM=22 MM | | S | |
| 7 | 14329301 | 1 | PLUG | M42X13 | | | |
| 8 | 4726808 | 6 | OIL NOZZLE | | | | |
| 10 | 8826317 | 1 | CAMSHAFT BEARING | | | S | |
| 11 | 8826318 | 5 | CAMSHAFT BEARING | | | S | |
| 12 | 8826319 | 1 | BUSH | | | S | |
| 13 | 4708557 | 2 | DOWEL PIN | | | | |
| 14 | 4851814 | 14 | SCREW | | | | |
| 15 | 10151850 | 1 | THREADED PLUG | M22X1,5 | | | |
| 16 | 99434233 | 1 | THREADED PLUG | M22X1,5 | | | |
| 17 | 10839810 | 3 | DOWEL PIN | DIAM=12 MM | | S | |
| 18 | 14167570 | 2 | DOWEL PIN | DIAM=6,4 MM | | | |
| 19 | 10300611 | 1 | LOCK PLUG | M14X1,5 | | S | |
| 20 | 4858608 | 1 | SEAL GASKET | DIAM=14 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 01

Table: 9000725



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 01**Table: 9000725**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|-----------------|--------|--------|-----------|
| 1 | 4850230 | 6 | CYLINDER LINER | | | S | |
| 2 | 4718318 | 4 | STUD | L=333,5 MM | | | |
| 3 | 4718321 | 10 | STUD | REAR | | | |
| 4 | 98444870 | 6 | STUD | L=314,5 MM | | | |
| 5 | 98444902 | 6 | STUD | L=158,5 MM | | | |
| 6 | 4750807 | 6 | SPAC.RING CYL.LIN. | SP=3,09-3,11 MM | | | |
| 7 | 4750808 | 6 | SPAC.RING CYL.LIN. | SP=3,11-3,13 MM | | | |
| 8 | 4750809 | 6 | SPAC.RING CYL.LIN. | SP=3,13-3,15 MM | | | |
| 9 | 4750810 | 6 | SPAC.RING CYL.LIN. | SP=3,15-3,17 MM | | | |
| 10 | 4750811 | 6 | SPAC.RING CYL.LIN. | SP=3,17-3,19 MM | | | |
| 11 | 4750812 | 6 | SPAC.RING CYL.LIN. | SP=3,19-3,21 MM | | | |
| 12 | 4750813 | 6 | SPAC.RING CYL.LIN. | SP=3,21-3,23 MM | | | |
| 13 | 4750814 | 6 | SPAC.RING CYL.LIN. | SP=3,23-3,25 MM | | | |
| 14 | 4750815 | 6 | SPAC.RING CYL.LIN. | SP=3,25-3,27 MM | | | |
| 15 | 4750816 | 6 | SPAC.RING CYL.LIN. | SP=3,27-3,29 MM | | | |
| 16 | 4750817 | 6 | SPAC.RING CYL.LIN. | SP=3,29-3,31 MM | | | |
| 17 | 4750818 | 6 | SPAC.RING CYL.LIN. | SP=3,31-3,33 MM | | | |
| 18 | 4750819 | 6 | SPAC.RING CYL.LIN. | SP=3,33-3,35 MM | | | |
| 19 | 4750820 | 6 | SPAC.RING CYL.LIN. | SP=3,35-3,37 MM | | | |
| 20 | 4750821 | 6 | SPAC.RING CYL.LIN. | SP=3,37-3,39 MM | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 01**Table: 9000725**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|-----------------|--------|--------|-----------|
| 21 | 4750822 | 6 | SPAC.RING CYL.LIN. | SP=3,39-3,41 MM | | | |
| 22 | 4764705 | 6 | SPAC.RING CYL.LIN. | SP=3,41-3,43 MM | | | |
| 23 | 4764706 | 6 | SPAC.RING CYL.LIN. | SP=3,43-3,45 MM | | | |
| 24 | 4764707 | 6 | SPAC.RING CYL.LIN. | SP=3,45-3,47 MM | | | |
| 25 | 4764708 | 6 | SPAC.RING CYL.LIN. | SP=3,47-3,49 MM | | | |
| 26 | 4764709 | 6 | SPAC.RING CYL.LIN. | SP=3,49-3-51 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 20

Table: 9000958



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 20**Table: 9000958**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-----------------|----------------------|--------|--------|-----------|
| 1 | 4732358 | 1 | OIL SUMP | | | | |
| 2 | 98424771 | 1 | OIL SUMP GASKET | | | | |
| 3 | 11198371 | 30 | SPRING WASHER | DIAM=10X20 MM | | S | |
| 4 | 15970921 | 27 | HEXAGON BOLT | M10X1,25X35 MM | | | |
| 5 | 10263460 | 3 | SEAL RING | DIAM=22 MM SP=1,5 MM | | S | |
| 6 | 38822532 | 3 | LOCK PLUG | M22X1,5 | | | |
| 7 | 11234721 | 3 | HEXAGON BOLT | M10X1,25X45 MM | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 30

Table: 9001154



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 30**Table: 9001154**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|------------------------|--------|--------|-----------|
| 1 | 4734315 | 1 | CARTER FLYWHEEL | | | | |
| 2 | 98499174 | 1 | SHAFT SEAL | | | | |
| 3 | 4841297 | 1 | COVER | | | | |
| 4 | 4851387 | 1 | FLAT GASKET ENGINE | | | | |
| 6 | 8010984 | 1 | SUPPORT | | | | |
| 7 | 8010985 | 1 | INDICATOR | | | | |
| 8 | 17088474 | 1 | SPRING WASHER | DIAM=6X12 MM | | | |
| 9 | 17089474 | 6 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |
| 10 | 16044121 | 2 | HEXAGON BOLT | M8X45 MM (8.8) | | | |
| 11 | 16043921 | 4 | HEXAGON BOLT | M8X35 MM (8.8) | S | | |
| 12 | 10902124 | 2 | SCREW | M6X14 MM | | | |
| 13 | 11197771 | 2 | SPRING WASHER | DIAM=6X12 MM SP=1,2 MM | S | | |
| 14 | 14274730 | 6 | LOCKING SCREW | | | | |
| 15 | 15540830 | 2 | HEXAGON BOLT | M12 | S | | |
| 16 | 11198679 | 2 | SPRING WASHER | DIAM=13 MM | S | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 30

Table: 9001175



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 30**Table: 9001175**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|------------------------|--------|--------|-----------|
| 1 | 4717884 | 1 | FRONT C.CASE COVER | ASSY | | | |
| 2 | 98411985 | 1 | FLAT GASKET ENGINE | | | | |
| 3 | 4560434 | 1 | PLUG | | | | |
| 4 | 4708557 | 1 | DOWEL PIN | | | | |
| 5 | 4738944 | 1 | PTO COVER | | | | |
| 6 | 17284681 | 1 | O-RING | DIAM=61,6 MM SP=2,62 | | | |
| 7 | 4718902 | 1 | PLUG | | | | |
| 8 | 14458281 | 1 | O-RING | DIAM=31,42 MM SP=2,62 | S | | |
| 9 | 4732679 | 1 | FRONT C.CASE COVER | | | | |
| 10 | 4708220 | 1 | BUSH | | S | | |
| 11 | 98411987 | 1 | FLAT GASKET ENGINE | M16X55 MM | | | |
| 12 | 4713668 | 1 | OIL LINE | | | | |
| 13 | 10279460 | 4 | SEAL GASKET | DIAM=10X16 MM SP=0,5 | | | |
| 14 | 11903811 | 2 | SCREW CONNECTOR | M10X1,25 | S | | |
| 15 | 11197770 | 1 | SPRING WASHER | DIAM=6,4 MM | S | | |
| 16 | 16603824 | 1 | HEXAGON BOLT | M6X25 MM (8.8) | S | | |
| 17 | 17089474 | 22 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |
| 21 | 40101394 | 1 | SHAFT SEAL | DIAM=75X100 MM SP=17 | S | | |
| 22 | 10279560 | 1 | SEAL GASKET | DIAM=22,2 MM | | | |
| 23 | 11903171 | 1 | LOCK PLUG | M10X1,25 | S | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 30**Table: 9001175**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------|-----------------------|--------|--------|-----------|
| 24 | 10260160 | 1 | SEAL GASKET | DIAM=10X14 MM SP=1 MM | | | |
| 26 | 16044021 | 14 | HEXAGON BOLT | M8X1,25X40 MM | | S | |
| 27 | 16044321 | 1 | HEXAGON BOLT | M8X1,25X55 MM | | S | |
| 28 | 16606124 | 1 | HEXAGON BOLT | M8X50 MM | | | |
| 29 | 16046021 | 1 | HEXAGON BOLT | M8X140 MM | | | |
| 30 | 15971521 | 2 | HEXAGON BOLT | M10X85 MM | | S | |
| 31 | 15971721 | 2 | HEXAGON BOLT | M10X95 MM | | S | |
| 32 | 17090274 | 6 | WASHER | DIAM=10X20 MM | | | |
| 33 | 17038221 | 2 | HEXAGON NUT | M10 | | S | |
| 34 | 16043821 | 1 | HEXAGON BOLT | M8X30 MM | | S | |
| 35 | 15971821 | 1 | HEXAGON BOLT | M10X100 MM | | S | |
| 36 | 15972021 | 1 | HEXAGON BOLT | M10X1,25X110 MM | | | |
| 37 | 10275040 | 1 | LOCK PLUG | M22X1,5 | | | |
| 38 | 8018009 | 1 | COVER | | | | |
| 39 | 16605424 | 4 | SCREW | M8X16 MM (8.8) | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 42

Table: 9008923



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 42**Table: 9008923**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|------------------|----------------|--------|--------|-----------|
| 1 | 8114480 | 1 | PLATE | | | | |
| 2 | 8012011 | 2 | FRONT ENG. MOUNT | | | | |
| 3 | 8012012 | 2 | REAR ENG. MOUNT | ASSY | | | |
| 4 | 17092174 | 4 | SPRING WASHER | DIAM=16X32X3,4 | | | |
| 5 | 17091074 | 12 | SPRING WASHER | DIAM=13X24 MM | | | |
| 6 | 11391521 | 4 | HEXAGON BOLT | M16X45 MM | | | |
| 7 | 15540521 | 4 | HEXAGON BOLT | M12X1,25X35 MM | | S | |
| 8 | 17090174 | 2 | SPRING WASHER | DIAM=10X20 MM | | | |
| 9 | 15540721 | 8 | HEXAGON BOLT | M12X45 MM | | S | |
| 10 | 15970921 | 2 | HEXAGON BOLT | M10X1,25X35 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 42

Table: 9011183



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 42

Table: 9011183

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|---------------|--------|--------|-----------|
| 1 | 8111211 | 4 | ENGINE SILENTBLOCK | REAR | | S | |
| 2 | 17096004 | 8 | WASHER | DIAM=20X37 MM | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 42

Table: 9011188



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 42

Table: 9011188

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|---------------|--------|--------|-----------|
| 1 | 8032312 | 6 | ENGINE SILENTBLOCK | ASSY | | | |
| 2 | 17096014 | 12 | WASHER | DIAM=20X37 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 50

Table: 9001448



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 50**Table: 9001448**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|------------------------|--------|--------|-----------|
| 1 | 7303441 | 1 | BREATHER | | | | |
| 2 | 8823136 | 1 | LOCK PLUG | | | | |
| 3 | 17740287 | 1 | RUBBER SLEEVE | BUNDY | | | |
| 4 | 8012709 | 1 | PIPE | | | | |
| 5 | 16605524 | 3 | HEXAGON BOLT | M8X20 MM (8.8) | S | | |
| 6 | 4760226 | 1 | FASTENING BRACKET | | | | |
| 7 | 8113297 | 1 | RETAINER | | | | |
| 8 | 17089474 | 6 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |
| 9 | 17037931 | 2 | HEXAGON NUT | M8X1,25 | | | |
| 10 | 17764693 | 3 | CLIP | DIAM=25-40 MM | | | |
| 11 | 61319110 | 1 | RUBBER SLEEVE | | | | |
| 12 | 17764793 | 1 | CLIP | DIAM=32-50 MM | | | |
| 13 | 8012693 | 1 | PLATE | | | | |
| 14 | 16605734 | 1 | HEXAGON BOLT | M8X30 MM | | | |
| 15 | 4860370 | 1 | SUPPORT | | | | |
| 16 | 16605424 | 2 | SCREW | M8X16 MM (8.8) | | | |
| 17 | 18088392 | 2 | CLIP | DIAM=16-25 MM | | | |
| 18 | 8013466 | 1 | RUBBER SLEEVE | | | | |
| 19 | 8018290 | 1 | AIR PIPE/DUCT | | | | |
| 20 | 98433753 | 1 | RUBBER SLEEVE | | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 50**Table: 9001448**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------|----------------------|--------|--------|-----------|
| 21 | 8012952 | 1 | RUBBER SLEEVE | | | | |
| 22 | 4858609 | 1 | SEAL RING | DIAM=16X22 MM SP=1,5 | | | |
| 23 | 8018289 | 1 | CONNECTOR | | | | |
| 24 | 17764593 | 4 | CLIP | DIA=20/32 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 50

Table: 9001510



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 50**Table: 9001510**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|------------------------|--------|--------|-----------|
| 1 | 8025344 | 1 | BREATHER | ASSY | | M | |
| 2 | 8823136 | 1 | LOCK PLUG | | | | |
| 3 | 17740287 | 1 | RUBBER SLEEVE | BUNDY | | | |
| 4 | 8026338 | 1 | OIL LINE | | | | |
| 5 | 16605524 | 3 | HEXAGON BOLT | M8X20 MM (8.8) | | S | |
| 6 | 4760226 | 1 | FASTENING BRACKET | | | | |
| 7 | 17316899 | 2 | CLIP | | | S | |
| 8 | 17089474 | 7 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |
| 9 | 17037931 | 2 | HEXAGON NUT | M8X1,25 | | | |
| 10 | 17764693 | 3 | CLIP | DIAM=25-40 MM | | | |
| 11 | 8026350 | 1 | RUBBER SLEEVE | | | | |
| 12 | 17764793 | 1 | CLIP | DIAM=32-50 MM | | | |
| 13 | 8025799 | 1 | RETAINER | | | | |
| 14 | 8020682 | 1 | RETAINER | | | | |
| 15 | 98412099 | 1 | FLAT GASKET ENGINE | | | | |
| 16 | 16605424 | 3 | SCREW | M8X16 MM (8.8) | | | |
| 17 | 18088392 | 1 | CLIP | DIAM=16-25 MM | | | |
| 18 | 17094904 | 1 | WASHER | DIAM=8,4X16 MM | | | |
| 19 | 8026339 | 1 | OIL LINE | | | | |
| 20 | 99441783 | 1 | RUBBER SLEEVE | | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 04

Subgroup: 54 04 50**Table: 9001510**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------------|----------------------|--------|--------|-----------|
| 21 | 4788504 | 1 | FUEL FILTER ELEMENT | | | S | |
| 22 | 4965120 | 1 | SPRING | | | | |
| 23 | 8023893 | 1 | PLUG | | | | |
| 24 | 17764593 | 1 | CLIP | DIA=20/32 MM | | | |
| 25 | 8023825 | 1 | BREATHER | | | | |
| 26 | 8025345 | 1 | COVER | WITH SEAL | | | |
| 27 | 8023819 | 1 | FLAT GASKET ENGINE | | | | |
| 28 | 17816314 | 1 | SPACING BAR | DIAM=8,5X18 MM SP=15 | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 06

Subgroup: 54 06 10

Table: 9009949



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 06

Subgroup: 54 06 10**Table: 9009949**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|-----------------------|--------|--------|-----------|
| 1 | 4798421 | 1 | CYLINDER HEAD | ASSY | | | |
| 2 | 16990870 | 19 | LOCK PLUG | DIAM=28 MM | | | |
| 3 | 14326001 | 2 | THREADED PLUG | M10X1,25 | | | |
| 4 | 4707319 | 6 | NOZZLE HOLDER SEAT | | | | |
| 5 | 17278981 | 12 | O-RING | DIAM=25,12 MM SP=1,78 | | | |
| 6 | 4758794 | 6 | VALVE GUIDE | REAR | | | |
| 7 | 4758795 | 6 | VALVE GUIDE +0.04 | | | | |
| 8 | 4758796 | 6 | VALVE GUIDE +0,2 | | | | |
| 9 | 4758797 | 6 | VALVE GUIDE +0,4 | | | | |
| 10 | 4758798 | 6 | VALVE GUIDE | | | | |
| 11 | 4758799 | 6 | VALVE GUIDE +0.04 | | | | |
| 12 | 4758800 | 6 | VALVE GUIDE +0,2 | | | | |
| 13 | 4758801 | 6 | VALVE GUIDE +0,4 | | | | |
| 14 | 8829237 | 6 | VALVE SEAT STD. | +0,0 MM | S | | |
| 15 | 8829262 | 6 | VALVE SEAT +0.20 | | S | | |
| 16 | 8829263 | 6 | VALVE SEAT +0.05 | | S | | |
| 17 | 38819032 | 6 | DOWEL PIN | | | | |
| 18 | 4845364 | 1 | CYL.HEAD GASKET | | | | |
| 19 | 4713556 | 26 | NUT | | | | |
| 20 | 98418729 | 1 | CYL. HEAD COVER | | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 06

Subgroup: 54 06 10**Table: 9009949**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|---------------|--------|--------|-----------|
| 21 | 8012692 | 1 | CYL. HEAD COVER | ASSY | | | |
| 22 | 8111590 | 1 | FILLER NECK | | | | |
| 23 | 8829321 | 2 | HEAD COVER GASKET | | | | |
| 24 | 98418750 | 4 | NUT | | | | |
| 25 | 98418749 | 4 | WASHER | | | | |
| 26 | 8111591 | 1 | DEFLECTOR PLATE | | | | |
| 27 | 17714501 | 2 | SPREADING RIVET | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 06

Subgroup: 54 06 10

Table: 9009950



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 06

Subgroup: 54 06 10**Table: 9009950**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|---------------------|--------|--------|-----------|
| 1 | 4819891 | 24 | VALVE CONE | | | | |
| 2 | 4821710 | 6 | INLET VALVE | | | | |
| 3 | 8830045 | 6 | EXHAUST VALVE | | | | |
| 4 | 8818691 | 12 | SPRING CAP | | | | |
| 5 | 4798427 | 12 | ENGINE VALV.SPRIN | DIAM=22 MM L=103 MM | | | |
| 6 | 98418727 | 6 | ROCKER BRACKET | | | | |
| 7 | 4752190 | 2 | ROCKER SHAFT | ASSY | | | |
| 8 | 4786841 | 12 | ROCKER ARM SCREW | | | | |
| 9 | 61584377 | 12 | NUT | | | | |
| 10 | 8823993 | 12 | ROCKER ARM | | | | |
| 11 | 16987801 | 4 | LOCK PLUG | M5X30 MM | | | |
| 12 | 11066975 | 4 | CIRCLIP | | S | | |
| 13 | 11343721 | 2 | HEXAGON BOLT | M10X65 MM | | | |
| 15 | 12646801 | 6 | WASHER | DIAM=10,2 MM | | | |
| 16 | 38814907 | 4 | WASHER | DIAM=21,5 MM | | | |
| 17 | 98418748 | 4 | STUD | | | | |
| 18 | 8822385 | 6 | SPRING CAP | | | | |
| 19 | 38812780 | 4 | SPRING | | | | |
| 20 | 8822963 | 6 | SPRING CAP | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 07

Subgroup: 54 07 10

Table: 9001871



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 07

Subgroup: 54 07 10**Table: 9001871**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|----------------------|--------|--------|-----------|
| 1 | 8017598 | 1 | INTAKE ELBOW | | | V | |
| 2 | 8104371 | 1 | TUBE STACK | REAR | | M | |
| 3 | 8017601 | 1 | HEAT EXCHANG.COVER | BUNDY | | | |
| 4 | 8017603 | 1 | HEAT EXCHANG.COVER | BUNDY | | | |
| 5 | 17291981 | 4 | O-RING | DIA=117,07X3,53 MM | | | |
| 6 | 8104374 | 1 | SPACING BAR | | | | |
| 7 | 16729824 | 7 | STUD | M8X1,25 | | | |
| 8 | 17800474 | 8 | SPRING WASHER | DIAM=9 MM | | S | |
| 9 | 16690824 | 8 | CYLIND-HEAD SCREW | M8X35 MM | | | |
| 10 | 8017267 | 2 | INTAKE ELBOW GASK. | | | | |
| 11 | 4858610 | 3 | SEAL RING | DIAM=18X24 MM SP=1,5 | | | |
| 12 | 8017599 | 4 | PLUG | | | | |
| 13 | 8017600 | 4 | BALL | DIA=10 MM | | | |
| 14 | 13449721 | 6 | STUD | M10X1,25X34 MM | | S | |
| 15 | 13530521 | 2 | STUD | WAHLER | | | |
| 16 | 13530621 | 2 | STUD | M12X18X55 | | | |
| 17 | 17038621 | 4 | NUT | M12 | | S | |
| 18 | 17091074 | 4 | SPRING WASHER | DIAM=13X24 MM | | | |
| 19 | 8105277 | 2 | ZINC ANODE | DIA=14 MM | | | |
| 20 | 4917793 | 2 | PLUG | M18 | | V | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 07

Subgroup: 54 07 10

Table: 9001871

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------|---------------|--------|--------|-----------|
| 21 | 16992540 | 1 | PLUG | M18X1,5 | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 07

Subgroup: 54 07 10

Table: 9001891



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 07

Subgroup: 54 07 10**Table: 9001891**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|----------------------|--------|--------|-----------|
| 1 | 8019716 | 1 | INTAKE ELBOW | ASSY | | | |
| 2 | 8026489 | 1 | TUBE STACK | | | | |
| 3 | 8017601 | 1 | HEAT EXCHANG.COVER | BUNDY | | | |
| 4 | 8017603 | 1 | HEAT EXCHANG.COVER | BUNDY | | | |
| 5 | 17291981 | 4 | O-RING | DIA=117,07X3,53 MM | | | |
| 6 | 8104374 | 1 | SPACING BAR | | | | |
| 7 | 16729824 | 7 | STUD | M8X1,25 | | | |
| 8 | 17800474 | 8 | SPRING WASHER | DIAM=9 MM | | S | |
| 9 | 16690824 | 8 | CYLIND-HEAD SCREW | M8X35 MM | | | |
| 10 | 8017267 | 2 | INTAKE ELBOW GASK. | | | | |
| 11 | 4858610 | 2 | SEAL RING | DIAM=18X24 MM SP=1,5 | | | |
| 12 | 8025610 | 4 | PLUG | | | | |
| 13 | 8017600 | 4 | BALL | DIA=10 MM | | | |
| 14 | 13449721 | 6 | STUD | M10X1,25X34 MM | | S | |
| 15 | 13530521 | 2 | STUD | WAHLER | | | |
| 16 | 13530621 | 2 | STUD | M12X18X55 | | | |
| 17 | 8103197 | 4 | NUT | M12X1,25 | | | |
| 18 | 17091074 | 4 | SPRING WASHER | DIAM=13X24 MM | | | |
| 19 | 8105277 | 1 | ZINC ANODE | DIA=14 MM | | | |
| 20 | 4917793 | 1 | PLUG | M18 | | V | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 07

Subgroup: 54 07 10**Table: 9001891**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|----------------------|--------|--------|-----------|
| 21 | 16992111 | 1 | THREADED PLUG | M10X1 | | S | |
| 22 | 10183217 | 1 | LOCK PLUG | M12X1,5 | | | |
| 23 | 98474306 | 2 | SEAL RING | DIAM=12X20 MM SP=1,9 | | | |
| 24 | 4595833 | 1 | THREADED PLUG | M20X1,5 | | | |
| 25 | 98429280 | 1 | SEAL GASKET | DIAM=20X26 MM SP=1,5 | | | |
| 26 | 4858607 | 1 | SEAL RING | DIAM=12X17 MM SP=1,5 | | | |
| 27 | 8019997 | 1 | HEAT EXANGER BODY | ASSY | | | |
| 28 | 17873271 | 7 | THREADED INSERT | M8 | | | |
| 29 | 4858606 | 1 | FLAT GASKET ENGINE | DIAM=10X14,5 MM SP=1 | | | |
| 30 | 16992540 | 1 | PLUG | M18X1,5 | | | |
| 31 | 8025611 | 4 | SCREW | M10X25 | | | |
| 32 | 8025612 | 4 | NUT | | | | |
| 33 | 8019642 | 2 | SPACING BAR | | | | |
| 34 | 8018818 | 2 | INTAKE ELBOW GASK. | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 07

Subgroup: 54 07 80

Table: 9002111



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 07

Subgroup: 54 07 80**Table: 9002111**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|----------------------|----------------------|--------|--------|-----------|
| 1 | 8110178 | 1 | COOLED EXH. MANIFOLD | REAR | | | |
| 2 | 4934617 | 1 | NUT | | | | |
| 3 | 4818721 | 1 | EXH. MANIFOLD GKT | | | | |
| 4 | 4818722 | 2 | EXH. MANIFOLD GKT | | | | |
| 5 | 8009913 | 4 | FLAT GASKET ENGINE | | | | |
| 6 | 4858609 | 3 | SEAL RING | DIAM=16X22 MM SP=1,5 | | | |
| 7 | 16992311 | 2 | LOCK PLUG | M14X1,5 | | S | |
| 8 | 4858608 | 2 | SEAL GASKET | DIAM=14 MM | | | |
| 9 | 16992411 | 3 | THREADED PLUG | M16X1,5 | | S | |
| 10 | 4934984 | 1 | PLUG | | | | |
| 11 | 16992211 | 2 | THREADED PLUG | M12X1,5 | | S | |
| 12 | 4858607 | 2 | SEAL RING | DIAM=12X17 MM SP=1,5 | | | |
| 14 | 17090174 | 15 | SPRING WASHER | DIAM=10X20 MM | | | |
| 15 | 17038221 | 15 | HEXAGON NUT | M10 | | S | |
| 16 | 13449721 | 2 | STUD | M10X1,25X34 MM | | S | |
| 17 | 16991170 | 4 | LOCK PLUG | DIAM=36 MM | | | |
| 18 | 13953821 | 11 | STUD | ASSY | | | |
| 19 | 13953221 | 1 | STUD | M10X1,5X90 | | | |
| 20 | 13450121 | 2 | STUD | M10X15X50 MM | | S | |
| 21 | 10265160 | 1 | SEAL GASKET | DIAM=35,3 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 08

Subgroup: 54 08 01

Table: 9002283



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 08

Subgroup: 54 08 01**Table: 9002283**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|---------------|--------|--------|-----------|
| 1 | 4832171 | 1 | CRANK SHAFT | ASSY | | M | |
| 2 | 38952312 | 6 | LOCK PLUG | | | | |
| 3 | 4821454 | 6 | CONN.ROD ASSY. | ASSY | | | |
| 4 | 4722162 | 12 | BIG-END BOLT | | | | |
| 5 | 4803660 | 6 | BIG-END BUSH | | | | |
| 6 | 4861875 | 1 | TIMING DRIVE GEAR | | | | |
| 7 | 8817913 | 1 | KEY | | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 08

Subgroup: 54 08 01

Table: 9002419

| Q.ty | Standard Size | Oversize | | | | | |
|------|---------------|----------|------|------|------|------|------|
| | | ITEM | ITEM | ITEM | ITEM | ITEM | ITEM |
| | | 1 | — | 2 | 3 | 4 | 5 |
| | | ITEM | ITEM | ITEM | ITEM | ITEM | ITEM |
| | | 6 | 7 | 8 | 9 | — | — |
| | | ITEM | ITEM | ITEM | ITEM | ITEM | ITEM |
| | | | | | | | |
| | | ITEM | ITEM | ITEM | ITEM | ITEM | ITEM |
| | | 10 | — | 11 | 12 | 13 | |
| | | ITEM | ITEM | ITEM | ITEM | ITEM | ITEM |
| | | | | | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 08

Subgroup: 54 08 01**Table: 9002419**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|---------------|--------|--------|-----------|
| 1 | 1901832 | 1 | MAIN BEARING SET | | | | |
| 2 | 1901833 | 1 | MAIN BEAR.SET -0.2 | | | | |
| 3 | 1901834 | 1 | MAIN BEAR.SET -0.5 | | | | |
| 5 | 1901836 | 1 | MAIN BEAR.SET -1.0 | | | | |
| 6 | 1901385 | 1 | THRSTRING SET STD | | | | |
| 7 | 1901386 | 1 | THRSTRING SET+0.1 | | | | |
| 8 | 1901387 | 1 | THRSTRING SET+0.2 | | | | |
| 9 | 1901388 | 1 | THRSTRING SET+0.5 | | | | |
| 10 | 1907772 | 6 | CON.ROD BEAR STD. | | | | |
| 11 | 1907773 | 6 | CON.ROD BEAR-0,254 | | | | |
| 12 | 1907774 | 6 | CON.ROD BEAR-0,508 | | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 08

Subgroup: 54 08 20

Table: 9002526

| Q.ty | Standard,Size | | | | | Oversize | | Q.ty | Standard,Size | | Oversize |
|------|---------------|------|------|------|------|----------|--|------|---------------|------|----------|
| | ITEM | ITEM | ITEM | ITEM | ITEM | | | | ITEM | ITEM | |
| | 1 | -- | -- | 2 | -- | | | | 4 | -- | |
| | ITEM | ITEM | ITEM | ITEM | ITEM | | | | ITEM | ITEM | |
| | | | | | | | | | | | |
| | ITEM | ITEM | ITEM | ITEM | ITEM | | | | ITEM | ITEM | |
| | 3 | -- | -- | -- | -- | | | | 5 | 6 | |
| | ITEM | ITEM | ITEM | ITEM | ITEM | | | | ITEM | ITEM | |
| | | | | | | | | | 7 | -- | |
| | | | | | | | | | ITEM | ITEM | |
| | | | | | | | | | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 08

Subgroup: 54 08 20**Table: 9002526**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|---------------|--------|--------|-----------|
| 1 | 8092267 | 6 | PISTONRING SET STD | | | | |
| 3 | 1930742 | 6 | PISTON ASSY | ASSY | | | |
| 5 | 4800402 | 6 | PISTON PIN | | | | |
| 7 | 16872976 | 12 | CIRCLIP | DIAM=42 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 08

Subgroup: 54 08 30

Table: 9002706



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 08

Subgroup: 54 08 30**Table: 9002706**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|------------------|---------------|--------|--------|-----------|
| 1 | 4811310 | 1 | FLYWHEEL | ASSY | | | |
| 2 | 4765554 | 7 | HEXAGON BOLT | | S | | |
| 3 | 4862411 | 1 | RING GEAR | | | | |
| 4 | 8828770 | 1 | RING | | | | |
| 5 | 8027123 | 1 | VIBRATION DAMPER | STE 11"X1"3/4 | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 08

Subgroup: 54 08 61

Table: 9012795



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 08

Subgroup: 54 08 61**Table: 9012795**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|---------------|--------|--------|-----------|
| 1 | 4935091 | 1 | CRANKSHAFT PULLEY | | | | |
| 2 | 11288031 | 6 | HEXAGON BOLT | M10X1,25X60 | | S | |
| 3 | 11198371 | 6 | SPRING WASHER | DIAM=10X20 MM | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 08

Subgroup: 54 08 61

Table: 9012820



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 08

Subgroup: 54 08 61**Table: 9012820**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|---------------|--------|--------|-----------|
| 1 | 4936583 | 1 | CRANKSHAFT PULLEY | | | | |
| 2 | 4927373 | 1 | FLEXIBLE COUPLING | | | | |
| 3 | 4927437 | 3 | STUD | | | | |
| 4 | 10792321 | 6 | CASTLE NUT | M14X1,5 | | S | |
| 5 | 10520101 | 6 | WASHER | DIAM=14X24 MM | | S | |
| 6 | 10734601 | 6 | SPLIT PIN | DIAM=3,2 MM | | S | |
| 7 | 4927438 | 3 | SCREW | | | | |
| 8 | 15971631 | 6 | HEXAGON BOLT | M10X1,25X90 | | | |
| 9 | 11198371 | 6 | SPRING WASHER | DIAM=10X20 MM | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 08

Subgroup: 54 08 61

Table: 9012833



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 08

Subgroup: 54 08 61**Table: 9012833**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|---------------|--------|--------|-----------|
| 1 | 4936583 | 1 | CRANKSHAFT PULLEY | | | | |
| 2 | 15971631 | 6 | HEXAGON BOLT | M10X1,25X90 | | | |
| 3 | 11198371 | 6 | SPRING WASHER | DIAM=10X20 MM | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 10

Subgroup: 54 10 00

Table: 9003069



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 10

Subgroup: 54 10 00**Table: 9003069**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|-----------------|--------|--------|-----------|
| 1 | 4601834 | 1 | BUSH | | | | |
| 2 | 4604833 | 1 | WASHER | | | | |
| 3 | 4667498 | 1 | WASHER | | | | |
| 4 | 4708213 | 1 | CIRCLIP | ANTHRACITE GREY | | | |
| 5 | 98407508 | 1 | TIMING INTERM.GEA | ASSY | | | |
| 6 | 4708424 | 1 | GUIDE BOLT | | | | |
| 7 | 14238030 | 3 | LOCKING SCREW | M8X20 MM | | S | |
| 8 | 14463181 | 1 | O-RING | SP=3,53 MM | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 12

Subgroup: 54 12 50

Table: 9003170



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 12

Subgroup: 54 12 50**Table: 9003170**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|----------------|--------|--------|-----------|
| 1 | 4798425 | 1 | CAMSHAFT | ASSY | | | |
| 2 | 4708079 | 1 | TIMING INTERM.GEA | | | | |
| 3 | 4711597 | 1 | CHOCK | | | | |
| 4 | 11058875 | 1 | CIRCLIP | | S | | |
| 5 | 8828869 | 12 | PUSHROD | | | | |
| 6 | 8828576 | 1 | FLANGE | | | | |
| 7 | 10206010 | 1 | KEY | DIAM=11 MM | S | | |
| 8 | 14233021 | 2 | LOCKING SCREW | M10X1,25X16 MM | S | | |
| 9 | 4753580 | 12 | VALVE TAPPET | +0,0 MM | | | |
| 10 | 4756502 | 12 | VALVE TAPPET | +0,3 MM | | | |
| 11 | 4731532 | 12 | VALVE TAPPET | +0,4 MM | | | |
| 12 | 4756503 | 12 | VALVE TAPPET | +0,5 MM | | | |
| 13 | 14459281 | 1 | O-RING | | S | | |
| 14 | 4699521 | 1 | COVER | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 14

Subgroup: 54 14 00

Table: 9003314



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 14

Subgroup: 54 14 00**Table: 9003314**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------|------------------------|--------|--------|-----------|
| 1 | 4750518 | 1 | RETAINER | BUNDY | | | |
| 2 | 4817374 | 1 | SUPPORT | BUNDY | | | |
| 3 | 15540921 | 1 | HEXAGON BOLT | M12X1,25X55 MM | | S | |
| 4 | 17091174 | 1 | SPRING WASHER | DIAM=12X24 MM | | | |
| 5 | 12646921 | 1 | WASHER | DIAM=12X28 MM | | S | |
| 6 | 16044921 | 2 | HEXAGON BOLT | M8X1,25X85 MM | | S | |
| 7 | 17089774 | 2 | SPRING WASHER | DIAM=8,4X22 MM SP=2,4 | | | |
| 8 | 16605824 | 2 | HEXAGON BOLT | M8X35 MM | | | |
| 9 | 12646721 | 2 | WASHER | DIAM=8X20 MM | | | |
| 10 | 17089474 | 2 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |
| 11 | 8014162 | 1 | SPACING BAR | ASSY | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 14

Subgroup: 54 14 00

Table: 9003332



* ONLY SEPARATE PARTS ARE SERVICED - SI FORNISCONO SOLO LE PARTI - ON LIVRE SEULEMENT LES PIECES - NUR EINZELTEILE LIEFERBAR - SOLO SE SUMINISTRAN LAS PIEZAS SUELTAS

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 14

Subgroup: 54 14 00**Table: 9003332**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|---------------|--------|--------|-----------|
| 1 | 8018484 | 1 | INLINE INJECT.PUMP | OPT. | | | |
| 1 | 98496920 | 1 | INLINE INJECT.PUMP | ASSY | | | |
| 4 | 8092637 | 1 | FUEL PUMP | ASSY | | | |
| 4 | 93160510 | 1 | FUEL PUMP | | | | |
| 5 | 12626321 | 4 | WASHER | DIAM=10X25 MM | | | |
| 6 | 17090274 | 4 | WASHER | DIAM=10X20 MM | | | |
| 7 | 8010651 | 1 | NUT | | | | |
| 8 | 17038221 | 4 | HEXAGON NUT | M10 | | S | |
| 9 | 8010652 | 1 | WASHER | | | | |
| 10 | 13450121 | 4 | STUD | M10X15X50 MM | | S | |
| 11 | 8110753 | 1 | LEVER | | | | |
| 12 | 10977721 | 1 | HEXAGON BOLT | M5X14 MM | | | |
| 13 | 8101048 | 1 | KEY | 3X5X12,5 | | S | |
| 14 | 8010650 | 1 | BUSH | | | | |
| 15 | 61317701 | 1 | O-RING | DIA=3,2X10 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 14

Subgroup: 54 14 22

Table: 9003669



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 14

Subgroup: 54 14 22**Table: 9003669**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|-----------------------|--------|--------|-----------|
| 1 | 4711552 | 1 | COVER | | | | |
| 2 | 4766813 | 2 | BUSH | | | | |
| 3 | 4667498 | 1 | WASHER | | | | |
| 4 | 99435072 | 1 | SUPPORT | BUNDY | | | |
| 5 | 14457581 | 1 | O-RING | DIAM=20,29 MM SP=2,62 | S | | |
| 6 | 10902121 | 2 | HEXAGON BOLT | M6X14 MM | S | | |
| 7 | 4708213 | 1 | CIRCLIP | ANTHRACITE GREY | | | |
| 8 | 4722819 | 1 | INJ.PUMP DRIV.GEA | | | | |
| 9 | 4766706 | 1 | INJECT.PUMP SPIND | | | | |
| 10 | 14233621 | 4 | LOCKING SCREW | M10X1,25X30 MM | | | |
| 11 | 17088474 | 2 | SPRING WASHER | DIAM=6X12 MM | | | |
| 12 | 14238721 | 6 | LOCKING SCREW | M8X45 MM | | | |
| 13 | 98488133 | 1 | FLAT GASKET ENGINE | DIAM=105X142 MM | | | |
| 14 | 14456781 | 1 | O-RING | SP=1,78 MM | | | |
| 15 | 14600370 | 1 | DOWEL PIN | DIAM=5 MM | S | | |
| 16 | 17085876 | 1 | CIRCLIP | DIAM=42 MM | | | |
| 17 | 4852812 | 1 | INJECT.PUMP BUSH | | | | |
| 18 | 8030034 | 1 | INJECT.PUMP SPIND | | | | |
| 19 | 4712737 | 1 | INJECT.PUMP SLEEVE | | | | |
| 20 | 16605624 | 2 | SCREW | M8X25 MM (8.8) | S | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 14

Subgroup: 54 14 22**Table: 9003669**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|----------------------|--------|--------|-----------|
| 21 | 17089574 | 2 | WASHER | DIAM=8X16 MM | | S | |
| 22 | 4604833 | 1 | WASHER | | | | |
| 23 | 758732 | 1 | SPRING LOCKWASHER | | | S | |
| 24 | 17289281 | 1 | O-RING | DIAM=34,5 MM SP=3,53 | | | |
| 25 | 42492884 | 1 | FLAT GASKET ENGINE | | | | |
| 26 | 17253770 | 2 | PIN | DIA=4X16 MM | | | |
| 27 | 61317062 | 1 | O-RING | | | | |
| 28 | 8016400 | 1 | SPACING BAR | | | | |

Frame:

VP/PIC: 00000498



Model: 8361SRM40.10

Class: 54

Group: 54 14

Subgroup: 54 14 61

Table: 9009208



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 14

Subgroup: 54 14 61**Table: 9009208**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|------------------------|--------|--------|-----------|
| 1 | 8017618 | 1 | SOLENOID | ASSY | | | |
| 2 | 16603624 | 6 | HEXAGON BOLT | M6X16 MM (8.8) | | S | |
| 3 | 16689624 | 1 | CYLIND-HEAD SCREW | M6X40 MM (8.8) | | | |
| 6 | 17088471 | 7 | SPRING WASHER | DIAM=6X12 MM SP=1,2 MM | | S | |
| 7 | 8006296 | 1 | SUPPORT | FRONT | | | |
| 8 | 14497801 | 2 | WASHER | DIAM=5X9,5 MM | | S | |
| 9 | 8108833 | 1 | CLEVIS | | | | |
| 10 | 17718411 | 2 | GUIDE BOLT | DIA=5 MM | | S | |
| 11 | 10734101 | 2 | SPLIT PIN | DIAM=1,3 MM | | S | |
| 12 | 8109159 | 1 | CLEVIS | M6X40 | | | |
| 13 | 17037821 | 1 | NUT | M6X1 | | | |
| 14 | 8020687 | 1 | ENGINE STOP | ASSY | | | |
| 15 | 8105105 | 4 | RUBBER LUG | | | S | |
| 16 | 17708674 | 4 | WASHER | DIA=5X10 MM | | | |
| 17 | 17094501 | 4 | WASHER | DIA=5X10X1 MM | | S | |
| 18 | 17037721 | 4 | NUT | M5 | | S | |
| 19 | 8109519 | 1 | RELAY | STOP | | | |
| 20 | 8108575 | 1 | RELAY | STARTER | | S | |
| 21 | 8113170 | 1 | CONNECTION | ASSY | | | |
| 22 | 8017595 | 1 | RETAINER | BUNDY | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 14

Subgroup: 54 14 61

Table: 9013643



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 14

Subgroup: 54 14 61**Table: 9013643**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------|---------------|--------|--------|-----------|
| 1 | 8017621 | 1 | SOLENOID | ASSY 12V | | M | |
| 2 | 8109159 | 1 | CLEVIS | M6X40 | | | |
| 3 | 17037821 | 1 | NUT | M6X1 | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 14

Subgroup: 54 14 65

Table: 9009151



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 14

Subgroup: 54 14 65**Table: 9009151**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------|----------------|--------|--------|-----------|
| 1 | 8114174 | 1 | SUPPORT | ASSY | | | |
| 2 | 8114173 | 1 | RETAINER | | | | |
| 3 | 16603524 | 5 | SCREW | M6X12 MM (8.8) | | S | |
| 4 | 17088474 | 5 | SPRING WASHER | DIAM=6X12 MM | | | |
| 5 | 8113637 | 2 | SPACING BAR | | | | |
| 6 | 8005677 | 1 | RETAINER | | | | |
| 7 | 17037821 | 1 | NUT | M6X1 | | | |

Frame:

VP/PIC: 00000498



Model: 8361SRM40.10

Class: 54

Group: 54 14

Subgroup: 54 14 80

Table: 9003772



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 14

Subgroup: 54 14 80**Table: 9003772**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|-----------------------|--------|--------|-----------|
| 1 | 8017978 | 6 | NOZZLE | ASSY BOSCH | | S | |
| 2 | 8017980 | 6 | NOZZLE HOLDER | ASSY BOSCH | | | |
| 3 | 8017979 | 6 | FUEL NOZZLE | BUNDY | | | |
| 4 | 8009075 | 12 | SCREW | | | S | |
| 5 | 4780612 | 6 | FASTENING BRACKET | | | | |
| 6 | 17278581 | 6 | O-RING | DIAM=18,77 MM SP=1,78 | | | |
| 7 | 771326 | 12 | WASHER | DIA=11,5 MM | | | |

Frame:

VP/PIC: 00000498



Model: 8361SRM40.10

Class: 54

Group: 54 14

Subgroup: 54 14 80

Table: 9003788



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 14

Subgroup: 54 14 80**Table: 9003788**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|-----------------------|--------|--------|-----------|
| 1 | 98443145 | 6 | NOZZLE | ASSY | | | |
| 2 | 17278581 | 6 | O-RING | DIAM=18,77 MM SP=1,78 | | | |
| 3 | 98453621 | 6 | FUEL NOZZLE | | | | |
| 4 | 771326 | 12 | WASHER | DIA=11,5 MM | | | |
| 5 | 8009075 | 12 | SCREW | | | S | |
| 6 | 4780612 | 6 | FASTENING BRACKET | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 17

Subgroup: 54 17 30

Table: 9009228



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 17

Subgroup: 54 17 30

Table: 9009228

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------|---------------|--------|--------|-----------|
| 1 | 8017278 | 1 | MOTOR HARNESS | GOETZE | | | |
| 2 | 8019958 | 1 | MOTOR HARNESS | ASSY | | | |
| 3 | 8108365 | 1 | CONNECTION | | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 17


Subgroup: 54 17 70

Table: 9013787

IBPO



IATA



TPO



TTA



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 17

Subgroup: 54 17 70**Table: 9013787**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|----------------------|--------|--------|-----------|
| 1 | 8114030 | 1 | TRANSMITTER | IBPO | | S | |
| 2 | 8019334 | 1 | TRANSMITTER | | | | |
| 3 | 8100417 | 1 | TRANSMITTER | TPO | | | |
| 4 | 8100418 | 1 | TRANSMITTER | TTA | | | |
| 5 | 4858606 | 1 | FLAT GASKET ENGINE | DIAM=10X14,5 MM SP=1 | | | |
| 6 | 8019562 | 1 | CONNECTOR | M24X1,5/M12X1,5 | | | |
| 7 | 98429281 | 1 | SEAL GASKET | DIAM=24X31 MM SP=1,5 | | | |
| 8 | 4858608 | 2 | SEAL GASKET | DIAM=14 MM | | | |
| 9 | 4929444 | 1 | CONNECTOR | ASSY | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 17

Subgroup: 54 17 70

Table: 9013788

IBPO



IATA



TPO



TTA



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 17

Subgroup: 54 17 70**Table: 9013788**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------|----------------------|--------|--------|-----------|
| 1 | 8114030 | 1 | TRANSMITTER | IBPO | | S | |
| 2 | 8019334 | 1 | TRANSMITTER | | | | |
| 3 | 8008031 | 1 | TRANSMITTER | ASSY | | | |
| 4 | 8008030 | 1 | TRANSMITTER | TTA | | S | |
| 5 | 4858607 | 1 | SEAL RING | DIAM=12X17 MM SP=1,5 | | | |
| 6 | 8019562 | 1 | CONNECTOR | M24X1,5/M12X1,5 | | | |
| 7 | 98429281 | 1 | SEAL GASKET | DIAM=24X31 MM SP=1,5 | | | |
| 8 | 4858608 | 1 | SEAL GASKET | DIAM=14 MM | | | |
| 9 | 4929444 | 1 | CONNECTOR | ASSY | | | |
| 10 | 4858609 | 1 | SEAL RING | DIAM=16X22 MM SP=1,5 | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 17


Subgroup: 54 17 70

Table: 9013831


IBPO




IATA



TPO




TPO



TTA



TTA



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 17

Subgroup: 54 17 70**Table: 9013831**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|----------------------|--------|--------|-----------|
| 1 | 8114030 | 1 | TRANSMITTER | IBPO | | S | |
| 2 | 8019334 | 1 | TRANSMITTER | | | | |
| 3 | 8100417 | 2 | TRANSMITTER | TPO | | | |
| 4 | 8100418 | 2 | TRANSMITTER | TTA | | | |
| 5 | 4858608 | 3 | SEAL GASKET | DIAM=14 MM | | | |
| 6 | 8019562 | 1 | CONNECTOR | M24X1,5/M12X1,5 | | | |
| 7 | 98429281 | 1 | SEAL GASKET | DIAM=24X31 MM SP=1,5 | | | |
| 8 | 4927546 | 2 | CONNECTOR | | | | |
| 9 | 8105917 | 1 | CONNECTOR | | | | |
| 10 | 38800427 | 1 | SCREW CONNECTOR | | | | |
| 11 | 4858606 | 3 | FLAT GASKET ENGINE | DIAM=10X14,5 MM SP=1 | | | |
| 12 | 8101017 | 1 | MOTOR HARNESS | GOETZE | | | |
| 13 | 4858607 | 1 | SEAL RING | DIAM=12X17 MM SP=1,5 | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 17

Subgroup: 54 17 70

Table: 9013832



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 17

Subgroup: 54 17 70**Table: 9013832**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|----------------------|--------|--------|-----------|
| 1 | 8114030 | 1 | TRANSMITTER | IBPO | | S | |
| 2 | 4858608 | 1 | SEAL GASKET | DIAM=14 MM | | | |
| 3 | 8019562 | 1 | CONNECTOR | M24X1,5/M12X1,5 | | | |
| 4 | 98429281 | 1 | SEAL GASKET | DIAM=24X31 MM SP=1,5 | | | |
| 5 | 8019334 | 1 | TRANSMITTER | | | | |
| 6 | 8008031 | 2 | TRANSMITTER | ASSY | | | |
| 7 | 4927546 | 2 | CONNECTOR | | | | |
| 8 | 8105917 | 1 | CONNECTOR | | | | |
| 9 | 4858606 | 3 | FLAT GASKET ENGINE | DIAM=10X14,5 MM SP=1 | | | |
| 10 | 38800427 | 1 | SCREW CONNECTOR | | | | |
| 11 | 8008030 | 2 | TRANSMITTER | TTA | | S | |
| 12 | 4858609 | 2 | SEAL RING | DIAM=16X22 MM SP=1,5 | | | |
| 13 | 8101017 | 1 | MOTOR HARNESS | GOETZE | | | |
| 14 | 4858607 | 1 | SEAL RING | DIAM=12X17 MM SP=1,5 | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 20

Subgroup: 54 20 00

Table: 9004257



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 20

Subgroup: 54 20 00**Table: 9004257**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------|----------------|--------|--------|-----------|
| 1 | 4802377 | 1 | FUEL FILTER | ASSY | | | |
| 2 | 8104944 | 1 | RETAINER | | | | |
| 3 | 15970921 | 3 | HEXAGON BOLT | M10X1,25X35 MM | | | |
| 4 | 17090274 | 5 | WASHER | DIAM=10X20 MM | | | |
| 5 | 15004021 | 2 | HEXAGON BOLT | M10X1,25X25 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 20

Subgroup: 54 20 10

Table: 9004406



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 20

Subgroup: 54 20 10**Table: 9004406**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------|---------------|--------|--------|-----------|
| 1 | 4797319 | 1 | AUX.FUEL PUMP | ASSY | | | |
| 2 | 8008770 | 1 | RETAINER | | | | |
| 3 | 17088474 | 4 | SPRING WASHER | DIAM=6X12 MM | | | |
| 4 | 17037821 | 2 | NUT | M6X1 | | | |
| 5 | 10902121 | 2 | HEXAGON BOLT | M6X14 MM | | S | |
| 6 | 12643701 | 2 | WASHER | DIAM=6X18 MM | | S | |
| 7 | 16603924 | 2 | HEXAGON BOLT | M6X30 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 20

Subgroup: 54 20 14

Table: 9004958



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 20

Subgroup: 54 20 14**Table: 9004958**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|----------------|---------------|--------|--------|-----------|
| 1 | 42522534 | 1 | SHUT-OFF VALVE | | | | |
| 3 | 93156913 | 1 | VALVE | | | | |
| 4 | 93156914 | 1 | VALVE HOUSING | | | | |
| 7 | 93156917 | 1 | SPRING | | | | |
| 8 | 93156918 | 1 | CAP | SP=0,5 MM | | | |
| 12 | 93157238 | 1 | THREADED UNION | | | | |
| 13 | 746152 | 4 | GASKET | SP=1,34 MM | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 20

Subgroup: 54 20 20

Table: 9004499



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 20

Subgroup: 54 20 20**Table: 9004499**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|---------------|--------|--------|-----------|
| 1 | 8017963 | 1 | INJECTION LINE | | | | |
| 2 | 8018689 | 1 | FUEL LINE | | | | |
| 3 | 4687211 | 1 | RUBBER SLEEVE | | | | |
| 4 | 17764391 | 2 | CLIP | DIA=12/20 MM | | S | |
| 5 | 9982964 | 6 | SCREW CONNECTOR | M6 | | S | |
| 6 | 4806611 | 6 | FASTENING BRACKET | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 20

Subgroup: 54 20 30

Table: 9004646



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 20

Subgroup: 54 20 30**Table: 9004646**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|----------------|--------|--------|-----------|
| 1 | 8021595 | 1 | FUEL LINE | ASSY | | | |
| 2 | 4644288 | 1 | CLIP | | | | |
| 3 | 4644289 | 1 | CLIP | | | | |
| 5 | 4871771 | 1 | RUBBER LUG | ASSY | | S | |
| 8 | 8016339 | 1 | FUEL LINE | | | | |
| 9 | 8016239 | 1 | PIPE | | | | |
| 11 | 4864083 | 4 | BANJO BOLT | M14X1,5X30 MM | | S | |
| 12 | 98474308 | 8 | WASHER | DIAM=14X22 MM | | S | |
| 14 | 16603824 | 1 | HEXAGON BOLT | M6X25 MM (8.8) | | S | |
| 15 | 17088474 | 1 | SPRING WASHER | DIAM=6X12 MM | | | |
| 17 | 17314890 | 1 | FASTENING BRACKET | | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 22

Subgroup: 54 22 01

Table: 9005086



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 22

Subgroup: 54 22 01**Table: 9005086**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------|------------------------|--------|--------|-----------|
| 1 | 8017271 | 1 | AIR CLEANER | | | | |
| 2 | 8027423 | 1 | INDICATOR | | | | |
| 3 | 8009522 | 1 | CONNECTOR | | | | |
| 4 | 8017331 | 1 | CLIP | | | | |
| 5 | 8017336 | 1 | RETAINER | | | | |
| 6 | 8017273 | 1 | AIR PIPE/DUCT | | | | |
| 7 | 16605724 | 1 | SCREW | M8X1,25X30 MM | | | |
| 8 | 17285081 | 1 | O-RING | DIAM=67,94 MM SP=2,62 | | | |
| 9 | 17089474 | 3 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |
| 10 | 17037931 | 2 | HEXAGON NUT | M8X1,25 | | | |
| 11 | 16992440 | 1 | THREADED PLUG | M8X20 MM (8.8) | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 24

Subgroup: 54 24 00

Table: 9010143



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 24

Subgroup: 54 24 00**Table: 9010143**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|------------------|-----------------|--------|--------|-----------|
| 1 | 8110129 | 1 | TURBOCHARGER | ASSY HOLSET | | | |
| 2 | 8027510 | 1 | GASKET | ASSY | S | | |
| 3 | 13449830 | 4 | STUD | M10X1,25X35 MM | | | |
| 4 | 16979731 | 4 | NUT | M10X1,25 | | | |
| 5 | 17038221 | 4 | HEXAGON NUT | M10 | S | | |
| 6 | 17095104 | 4 | WASHER | DIAM=10,5X21 MM | S | | |
| 7 | 8090770 | 1 | KIT-TURBOCHARGER | | S | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 24

Subgroup: 54 24 00

Table: 9010144



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 24

Subgroup: 54 24 00**Table: 9010144**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|------------------------|--------|--------|-----------|
| 1 | 8018710 | 1 | OIL LINE | | | | |
| 2 | 98415922 | 1 | FLAT GASKET ENGINE | | | | |
| 3 | 98415923 | 1 | FLAT GASKET ENGINE | | | | |
| 5 | 8110346 | 1 | OIL LINE | REAR | | | |
| 6 | 98420478 | 1 | RUBBER SLEEVE | | | | |
| 7 | 17764593 | 2 | CLIP | DIA=20/32 MM | | | |
| 9 | 4864084 | 1 | BANJO BOLT | M16X1,5 | S | | |
| 10 | 4858609 | 2 | SEAL RING | DIAM=16X22 MM SP=1,5 | | | |
| 11 | 17089474 | 6 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |
| 12 | 17037931 | 1 | HEXAGON NUT | M8X1,25 | | | |
| 13 | 16605524 | 2 | HEXAGON BOLT | M8X20 MM (8.8) | S | | |
| 14 | 8114208 | 1 | RETAINER | | | | |
| 15 | 4755963 | 1 | FASTENING BRACKET | | | | |
| 16 | 4755964 | 1 | RUBBER LUG | | | | |
| 17 | 16605824 | 2 | HEXAGON BOLT | M8X35 MM | | | |
| 18 | 16605724 | 1 | SCREW | M8X1,25X30 MM | | | |
| 19 | 11903111 | 1 | LOCK PLUG | M10X1,25 | | | |
| 20 | 4858606 | 1 | FLAT GASKET ENGINE | DIAM=10X14,5 MM SP=1 | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 24

Subgroup: 54 24 20

Table: 9005449



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 24

Subgroup: 54 24 20**Table: 9005449**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|----------------------|--------|--------|-----------|
| 1 | 8017208 | 1 | INTAKE ELBOW | | | | |
| 2 | 8019078 | 1 | INTAKE ELBOW GASK. | | | | |
| 3 | 17296181 | 2 | O-RING | DIA=59,69X5,33 MM | | | |
| 4 | 8017252 | 1 | RUBBER SLEEVE | | | | |
| 5 | 8023383 | 7 | SCREW | GOETZE | | | |
| 6 | 17793804 | 7 | WASHER | DIAM=8X21 MM | S | | |
| 7 | 4864079 | 1 | BANJO BOLT | M10X1 | | | |
| 8 | 98474306 | 2 | SEAL RING | DIAM=12X20 MM SP=1,9 | | | |
| 9 | 4864082 | 1 | BANJO BOLT | M12X1,5X25 MM | S | | |
| 10 | 98474305 | 2 | SEAL RING | DIAM=10X17 MM SP=2,3 | | | |
| 11 | 8017577 | 1 | PIPE | L=380MM | | | |
| 12 | 8020359 | 1 | EXHAUST ELBOW | ASSY | | | |
| 13 | 16991170 | 2 | LOCK PLUG | DIAM=36 MM | | | |
| 14 | 16990870 | 1 | LOCK PLUG | DIAM=28 MM | | | |
| 15 | 8111833 | 1 | FLAT GASKET ENGINE | | | | |
| 16 | 8105276 | 1 | PLUG | M16 | S | | |
| 17 | 8105277 | 1 | ZINC ANODE | DIA=14 MM | | | |
| 18 | 4858609 | 1 | SEAL RING | DIAM=16X22 MM SP=1,5 | | | |
| 19 | 16992240 | 1 | THREADED PLUG | M12X1,5 | | | |
| 20 | 4858607 | 1 | SEAL RING | DIAM=12X17 MM SP=1,5 | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 24

Subgroup: 54 24 20**Table: 9005449**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------|----------------|--------|--------|-----------|
| 21 | 16729424 | 4 | STUD | M8X1,25X25 MM | | | |
| 22 | 17308531 | 4 | HEXAGON NUT | M8 (10) | | S | |
| 23 | 17094914 | 4 | WASHER | DIAM=8,4X16 MM | | S | |
| 25 | 8023383 | 7 | SCREW | GOETZE | | | |
| 26 | 17793804 | 7 | WASHER | DIAM=8X21 MM | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 27

Subgroup: 54 27 10

Table: 9005835



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 27

Subgroup: 54 27 10**Table: 9005835**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|------------------------|--------|--------|-----------|
| 1 | 98418980 | 1 | OIL FILLER PLUG | ASSY | | | |
| 2 | 16605724 | 4 | SCREW | M8X1,25X30 MM | | | |
| 3 | 17089474 | 6 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |
| 4 | 4735248 | 1 | FRONT C.CASE COVER | | | | |
| 5 | 98412099 | 2 | FLAT GASKET ENGINE | | | | |
| 6 | 10997421 | 1 | SCREW | M6X10 | | | |
| 7 | 17088474 | 1 | SPRING WASHER | DIAM=6X12 MM | | | |
| 8 | 17314990 | 1 | FASTENING BRACKET | DIAM=12 MM | | | |
| 9 | 98424520 | 1 | OIL LINE | | | | |
| 10 | 4735922 | 1 | OIL DIPSTICK | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 27

Subgroup: 54 27 10

Table: 9005847



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 27

Subgroup: 54 27 10**Table: 9005847**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|------------------------|--------|--------|-----------|
| 1 | 98418980 | 1 | OIL FILLER PLUG | ASSY | | | |
| 2 | 16605724 | 4 | SCREW | M8X1,25X30 MM | | | |
| 3 | 17089474 | 6 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |
| 4 | 4735248 | 1 | FRONT C.CASE COVER | | | | |
| 5 | 98412099 | 2 | FLAT GASKET ENGINE | | | | |
| 6 | 10997421 | 1 | SCREW | M6X10 | | | |
| 7 | 17088474 | 1 | SPRING WASHER | DIAM=6X12 MM | | | |
| 8 | 8016484 | 1 | FASTENING BRACKET | | | | |
| 9 | 98424520 | 1 | OIL LINE | | | | |
| 10 | 4735922 | 1 | OIL DIPSTICK | | | | |
| 11 | 4755964 | 1 | RUBBER LUG | | | | |
| 12 | 4827669 | 1 | WASHER | SP=3 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 30

Subgroup: 54 30 01

Table: 9006092



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 30

Subgroup: 54 30 01**Table: 9006092**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------|---------------------|--------|--------|-----------|
| 1 | 4710408 | 1 | LUBE OIL PUMP | | | | |
| 2 | 11198071 | 4 | SPRING WASHER | DIAM=8X15 SP=1,4 MM | | S | |
| 3 | 16044221 | 4 | HEXAGON BOLT | M8X50 MM | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 30

Subgroup: 54 30 20

Table: 9006308



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 30

Subgroup: 54 30 20**Table: 9006308**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|----------------|-----------------------|--------|--------|-----------|
| 1 | 1903629 | 2 | OIL FILTER | | | S | |
| 2 | 4741301 | 2 | THREADED UNION | ASSY | | | |
| 3 | 16605624 | 1 | SCREW | M8X25 MM (8.8) | | S | |
| 4 | 17094914 | 1 | WASHER | DIAM=8,4X16 MM | | S | |
| 5 | 15542121 | 2 | HEXAGON BOLT | M12X1,25X150 | | | |
| 6 | 15541721 | 1 | HEXAGON BOLT | M12X1,25X110 MM | | | |
| 7 | 15541221 | 1 | HEXAGON BOLT | M12X1,25X70 MM | | S | |
| 8 | 17095304 | 4 | WASHER | DIAM=12X24 MM | | | |
| 9 | 17282581 | 2 | O-RING | DIAM=28,24 MM SP=2,62 | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 30

Subgroup: 54 30 50

Table: 9006177



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 30

Subgroup: 54 30 50**Table: 9006177**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|------------------------|--------|--------|-----------|
| 1 | 8018710 | 1 | OIL LINE | | | | |
| 2 | 98415922 | 1 | FLAT GASKET ENGINE | | | | |
| 3 | 98415923 | 1 | FLAT GASKET ENGINE | | | | |
| 4 | 8012721 | 1 | OIL LINE | ASSY | | | |
| 5 | 8110346 | 1 | OIL LINE | REAR | | | |
| 6 | 98420478 | 1 | RUBBER SLEEVE | | | | |
| 7 | 17764593 | 2 | CLIP | DIA=20/32 MM | | | |
| 8 | 98412099 | 1 | FLAT GASKET ENGINE | | | | |
| 9 | 4864084 | 1 | BANJO BOLT | M16X1,5 | S | | |
| 10 | 4858609 | 2 | SEAL RING | DIAM=16X22 MM SP=1,5 | | | |
| 11 | 17089474 | 8 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |
| 12 | 17037931 | 1 | HEXAGON NUT | M8X1,25 | | | |
| 13 | 16605524 | 2 | HEXAGON BOLT | M8X20 MM (8.8) | S | | |
| 14 | 8114208 | 1 | RETAINER | | | | |
| 15 | 4755963 | 1 | FASTENING BRACKET | | | | |
| 16 | 4755964 | 1 | RUBBER LUG | | | | |
| 17 | 16605824 | 2 | HEXAGON BOLT | M8X35 MM | | | |
| 18 | 16605734 | 3 | HEXAGON BOLT | M8X30 MM | | | |
| 19 | 11903111 | 1 | LOCK PLUG | M10X1,25 | | | |
| 20 | 4858606 | 1 | FLAT GASKET ENGINE | DIAM=10X14,5 MM SP=1 | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 30

Subgroup: 54 30 50

Table: 9010316



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 30

Subgroup: 54 30 50**Table: 9010316**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|------------------------|--------|--------|-----------|
| 1 | 8016283 | 1 | OIL LINE | | | | |
| 2 | 8015578 | 1 | SCREW CONNECTOR | M12X1,5 | | S | |
| 3 | 98474306 | 3 | SEAL RING | DIAM=12X20 MM SP=1,9 | | | |
| 4 | 4826379 | 1 | PIPE | | | | |
| 5 | 98427907 | 1 | PIPE | | | | |
| 6 | 98451916 | 1 | CONNECTOR | | | | |
| 7 | 4858606 | 12 | FLAT GASKET ENGINE | DIAM=10X14,5 MM SP=1 | | | |
| 8 | 8016341 | 1 | HOSE | | | | |
| 9 | 98427899 | 1 | OIL LINE | | | | |
| 10 | 17816414 | 1 | SPACER | DIAM=8,5X18 MM SP=20 | | | |
| 11 | 4864080 | 4 | BANJO BOLT | M10X1,25 | | | |
| 12 | 17316190 | 2 | PIPE CLIP | DIAM=6 MM | | | |
| 13 | 4801526 | 1 | SCREW CONNECTOR | | | | |
| 14 | 98474305 | 2 | SEAL RING | DIAM=10X17 MM SP=2,3 | | | |
| 15 | 11903111 | 1 | LOCK PLUG | M10X1,25 | | | |
| 16 | 16043321 | 1 | HEXAGON BOLT | M8X18 MM | | S | |
| 18 | 16605824 | 1 | HEXAGON BOLT | M8X35 MM | | | |
| 19 | 17089474 | 4 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |
| 20 | 12646701 | 1 | WASHER | DIAM=8X20 MM | | S | |
| 21 | 10450090 | 2 | PIPE CLIP | DIAM=8 MM | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 30

Subgroup: 54 30 50

Table: 9010316

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------|---------------|--------|--------|-----------|
| 22 | 16043124 | 2 | SCREW | M8X14 MM | | | |
| 23 | 38827772 | 1 | LOCK PLUG | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 30

Subgroup: 54 30 50

Table: 9010317



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 30

Subgroup: 54 30 50**Table: 9010317**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|----------------------|--------|--------|-----------|
| 1 | 4735490 | 1 | RETAINER | | | | |
| 2 | 4692707 | 1 | OIL LINE | | | | |
| 3 | 4692711 | 1 | BULKHEAD STR.COUP | | | | |
| 4 | 98412165 | 1 | FLAT GASKET ENGINE | M8X1,25X12 MM | | | |
| 5 | 17282081 | 4 | O-RING | DIAM=20,2 MM SP=2,62 | | | |
| 6 | 4735489 | 1 | RETAINER | | | | |
| 7 | 16043621 | 3 | HEXAGON BOLT | M8X25 MM | S | | |
| 8 | 4735487 | 1 | OIL LINE | | | | |
| 9 | 16044021 | 2 | HEXAGON BOLT | M8X1,25X40 MM | S | | |
| 10 | 500300290 | 1 | FLAT GASKET ENGINE | | | | |
| 11 | 16043321 | 4 | HEXAGON BOLT | M8X18 MM | S | | |
| 12 | 11193871 | 9 | SPRING WASHER | DIAM=8X16 MM | S | | |
| 13 | 11194070 | 2 | WASHER | DIA=8X16X1,9 MM | S | | |
| 14 | 16043424 | 2 | HEXAGON BOLT | M8X20 MM | S | | |
| 15 | 10519601 | 2 | WASHER | DIAM=8X17 MM | S | | |
| 16 | 14048217 | 2 | HEXAGON NUT | M8 | S | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 30

Subgroup: 54 30 71

Table: 9009126



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 30

Subgroup: 54 30 71**Table: 9009126**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|------------------------|--------|--------|-----------|
| 1 | 8019921 | 1 | OIL DRAIN MAN.PUMP | | | | |
| 2 | 4931982 | 1 | RETAINER | | | | |
| 3 | 4935200 | 1 | CONNECTOR | M22X1,5/M16X1,5 | | | |
| 4 | 8018722 | 1 | OIL LINE | | | | |
| 5 | 10263460 | 1 | SEAL RING | DIAM=22 MM SP=1,5 MM | S | | |
| 6 | 4864084 | 2 | BANJO BOLT | M16X1,5 | S | | |
| 7 | 4858609 | 4 | SEAL RING | DIAM=16X22 MM SP=1,5 | | | |
| 8 | 17089474 | 2 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |
| 9 | 16605424 | 1 | SCREW | M8X16 MM (8.8) | | | |
| 11 | 17037931 | 2 | HEXAGON NUT | M8X1,25 | | | |
| 12 | 16605524 | 1 | HEXAGON BOLT | M8X20 MM (8.8) | S | | |
| 13 | 8010762 | 1 | OIL LINE | | | | |

Frame:

Class: 54


VP/PIC: 00000498

Group: 54 31

Model: 8361SRM40.10

Subgroup: 54 31 00

Table: 9010368



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 31

Subgroup: 54 31 00**Table: 9010368**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|----------------------|------------------------|--------|--------|-----------|
| 1 | 8017454 | 1 | SPACING BAR | ASSY | | | |
| 2 | 8017337 | 1 | OIL/WATER HEAT EXCH. | ASSY | | | |
| 3 | 17873671 | 4 | THREADED INSERT | M12X1,25 | | | |
| 4 | 17095304 | 4 | WASHER | DIAM=12X24 MM | | | |
| 5 | 17278981 | 2 | O-RING | DIAM=25,12 MM SP=1,78 | | | |
| 6 | 4853307 | 1 | CENTERING BUSH | | | | |
| 7 | 17282581 | 2 | O-RING | DIAM=28,24 MM SP=2,62 | | | |
| 8 | 16993440 | 6 | PLUG | M22X1,5 | | S | |
| 9 | 10263460 | 6 | SEAL RING | DIAM=22 MM SP=1,5 MM | | S | |
| 10 | 15540921 | 4 | HEXAGON BOLT | M12X1,25X55 MM | | S | |
| 11 | 17090174 | 2 | SPRING WASHER | DIAM=10X20 MM | | | |
| 12 | 17282181 | 1 | O-RING | DIAM=21,8 MM SP=2,6 MM | | | |
| 13 | 17089474 | 2 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |
| 14 | 15970621 | 2 | HEXAGON BOLT | M10X22 MM | | S | |
| 15 | 8017308 | 1 | RETAINER | ASSY | | | |
| 16 | 17873271 | 2 | THREADED INSERT | M8 | | | |
| 17 | 16748424 | 1 | STUD | M10X20X20 | | | |
| 18 | 16746524 | 1 | STUD | M8X16X16 | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 31

Subgroup: 54 31 00

Table: 9010369



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 31

Subgroup: 54 31 00**Table: 9010369**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|-----------------------|--------|--------|-----------|
| 1 | 4858609 | 1 | SEAL RING | DIAM=16X22 MM SP=1,5 | | | |
| 2 | 8017399 | 1 | TUBE STACK | | | | |
| 3 | 99431653 | 4 | O-RING | DIAM=106,2 MM SP=3,53 | | | |
| 4 | 8017862 | 1 | SPACING BAR | | | | |
| 5 | 8017605 | 1 | HEAT EXCHANG.COVER | | | | |
| 6 | 8017606 | 1 | HEAT EXCHANG.COVER | | | | |
| 7 | 16690724 | 8 | CYLIND-HEAD SCREW | M8X30 MM | | | |
| 8 | 4917793 | 1 | PLUG | M18 | | V | |
| 9 | 8105277 | 1 | ZINC ANODE | DIA=14 MM | | | |
| 10 | 4858610 | 2 | SEAL RING | DIAM=18X24 MM SP=1,5 | | | |
| 11 | 98429281 | 6 | SEAL GASKET | DIAM=24X31 MM SP=1,5 | | | |
| 12 | 16994040 | 5 | PLUG | M24X1,5 | | | |
| 13 | 8005151 | 1 | CONNECTOR | M24X1,5/M16X1,5 | | | |
| 14 | 16992411 | 1 | THREADED PLUG | M16X1,5 | | S | |
| 15 | 16992540 | 1 | PLUG | M18X1,5 | | | |
| 16 | 16992311 | 5 | LOCK PLUG | M14X1,5 | | S | |
| 17 | 4858608 | 1 | SEAL GASKET | DIAM=14 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 32

Subgroup: 54 32 01

Table: 9006718



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 32

Subgroup: 54 32 01**Table: 9006718**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|----------------------|--------|--------|-----------|
| 1 | 8017541 | 1 | WATER PUMP | WITH SEAL | | | |
| 2 | 4851437 | 1 | FLAT GASKET ENGINE | | | | |
| 3 | 4858609 | 1 | SEAL RING | DIAM=16X22 MM SP=1,5 | | | |
| 4 | 16992411 | 1 | THREADED PLUG | M16X1,5 | | S | |
| 5 | 17090174 | 5 | SPRING WASHER | DIAM=10X20 MM | | | |
| 6 | 15971321 | 1 | HEXAGON BOLT | M10X1,25X75 MM | | S | |
| 7 | 11343721 | 4 | HEXAGON BOLT | M10X65 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 32

Subgroup: 54 32 30

Table: 9010467



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 32

Subgroup: 54 32 30**Table: 9010467**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|------------------------|--------|--------|-----------|
| 1 | 8113445 | 1 | DRAIN COCK | | | | |
| 2 | 8103321 | 1 | CONNECTOR | | | | |
| 3 | 99431653 | 1 | O-RING | DIAM=106,2 MM SP=3,53 | | | |
| 4 | 8009905 | 1 | FLAT GASKET ENGINE | | | | |
| 5 | 8017469 | 1 | WATER PIPE | | S | | |
| 6 | 17743687 | 1 | RUBBER SLEEVE | DIA=45X60 MM | S | | |
| 7 | 17764993 | 2 | CLIP | DIA=50/70 MM | | | |
| 8 | 17089474 | 9 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |
| 9 | 16605624 | 4 | SCREW | M8X25 MM (8.8) | S | | |
| 10 | 16606624 | 1 | HEXAGON BOLT | M8X80 MM | | | |
| 11 | 98474308 | 2 | WASHER | DIAM=14X22 MM | S | | |
| 12 | 4864083 | 1 | BANJO BOLT | M14X1,5X30 MM | S | | |
| 13 | 8017546 | 1 | WATER PIPE | WITH SEAL | | | |
| 14 | 4858606 | 1 | FLAT GASKET ENGINE | DIAM=10X14,5 MM SP=1 | | | |
| 15 | 8015578 | 1 | SCREW CONNECTOR | M12X1,5 | S | | |
| 16 | 98474306 | 3 | SEAL RING | DIAM=12X20 MM SP=1,9 | | | |
| 17 | 8008297 | 1 | CONNECTOR | | | | |
| 18 | 4605529 | 1 | WATER HOSE | | S | | |
| 19 | 4864080 | 1 | BANJO BOLT | M10X1,25 | | | |
| 20 | 17764793 | 1 | CLIP | DIAM=32-50 MM | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 32

Subgroup: 54 32 30**Table: 9010467**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|----------------------|--------|--------|-----------|
| 21 | 8015523 | 1 | RUBBER SLEEVE | DIA=30 - DIA=25 MM | | | |
| 22 | 17764693 | 3 | CLIP | DIAM=25-40 MM | | | |
| 23 | 8010695 | 1 | WATER PIPE | | | | |
| 24 | 8110702 | 1 | CONNECTOR | | | | |
| 25 | 10263460 | 1 | SEAL RING | DIAM=22 MM SP=1,5 MM | S | | |
| 26 | 4858607 | 5 | SEAL RING | DIAM=12X17 MM SP=1,5 | | | |
| 27 | 8011195 | 1 | OIL HOSE | | | | |
| 28 | 98434018 | 2 | THREADED UNION | | S | | |
| 29 | 18088392 | 2 | CLIP | DIAM=16-25 MM | | | |
| 30 | 4864082 | 2 | BANJO BOLT | M12X1,5X25 MM | S | | |
| 31 | 8013464 | 1 | FLAT GASKET ENGINE | | | | |
| 32 | 17037931 | 3 | HEXAGON NUT | M8X1,25 | | | |
| 33 | 4918819 | 1 | WATER PIPE | | | | |
| 34 | 8103967 | 1 | WATER PIPE | REAR | | | |
| 35 | 8009915 | 2 | FLAT GASKET ENGINE | | | | |
| 36 | 8110485 | 1 | RUBBER SLEEVE | REAR | | | |
| 37 | 8010397 | 1 | SPACING BAR | | | | |
| 38 | 17765093 | 1 | CLIP | DIAM=60-80 MM | | | |
| 39 | 17765193 | 1 | CLIP | DIA=70/90 MM | | | |
| 40 | 16606424 | 1 | HEXAGON BOLT | M8X65 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 32

Subgroup: 54 32 30

Table: 9010468



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 32

Subgroup: 54 32 30**Table: 9010468**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|-----------------------|--------|--------|-----------|
| 1 | 4858609 | 1 | SEAL RING | DIAM=16X22 MM SP=1,5 | | | |
| 2 | 8017399 | 1 | TUBE STACK | | | | |
| 3 | 99431653 | 4 | O-RING | DIAM=106,2 MM SP=3,53 | | | |
| 4 | 8017862 | 1 | SPACING BAR | | | | |
| 5 | 8017605 | 1 | HEAT EXCHANG.COVER | | | | |
| 6 | 8017606 | 1 | HEAT EXCHANG.COVER | | | | |
| 7 | 16990724 | 8 | SCREW | M8X30 | | | |
| 8 | 4917793 | 1 | PLUG | M18 | | V | |
| 9 | 8105277 | 1 | ZINC ANODE | DIA=14 MM | | | |
| 10 | 4858610 | 2 | SEAL RING | DIAM=18X24 MM SP=1,5 | | | |
| 11 | 98429281 | 6 | SEAL GASKET | DIAM=24X31 MM SP=1,5 | | | |
| 12 | 16994040 | 5 | PLUG | M24X1,5 | | | |
| 13 | 8005151 | 1 | CONNECTOR | M24X1,5/M16X1,5 | | | |
| 14 | 16992421 | 1 | PLUG | M16X1,5 | | | |
| 15 | 16992540 | 1 | PLUG | M18X1,5 | | | |
| 16 | 10263460 | 1 | SEAL RING | DIAM=22 MM SP=1,5 MM | | S | |
| 17 | 4858608 | 1 | SEAL GASKET | DIAM=14 MM | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 32

Subgroup: 54 32 40

Table: 9016235



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 32

Subgroup: 54 32 40

Table: 9016235

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------|---------------|--------|--------|-----------|
| 1 | 8005303 | 2 | CONNECTOR | M16X1,5 | | | |
| 2 | 8113932 | 2 | DRAIN COCK | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 32

Subgroup: 54 32 63

Table: 9006979



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 32

Subgroup: 54 32 63

Table: 9006979

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|---------------|--------|--------|-----------|
| 1 | 4619091 | 1 | FLAT GASKET ENGINE | GOETZE | | | |
| 2 | 4919867 | 1 | THERMOSTAT | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 32

Subgroup: 54 32 90

Table: 9007523



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 32

Subgroup: 54 32 90**Table: 9007523**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|----------------|-----------------------|--------|--------|-----------|
| 1 | 4807728 | 1 | FILTER SUPPORT | ASSY | | | |
| 2 | 1901776 | 1 | WATER FILTER | | S | | |
| 3 | 4807730 | 1 | BREATHER CONN. | | | | |
| 4 | 11198379 | 2 | SPRING WASHER | DIAM=10X20 MM SP=2,6 | S | | |
| 5 | 14457681 | 1 | O-RING | DIAM=21,89 MM SP=2,62 | S | | |
| 6 | 16043621 | 2 | HEXAGON BOLT | M8X25 MM | S | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 33

Subgroup: 54 33 10

Table: 9007712



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 33

Subgroup: 54 33 10**Table: 9007712**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------|------------------------|--------|--------|-----------|
| 1 | 8017527 | 1 | WATER PIPE | | | | |
| 2 | 17743887 | 1 | RUBBER SLEEVE | | | | |
| 3 | 17764893 | 8 | CLIP | DIA=40/60 MM | | | |
| 4 | 17764993 | 10 | CLIP | DIA=50/70 MM | | | |
| 5 | 17743687 | 3 | RUBBER SLEEVE | DIA=45X60 MM | S | | |
| 6 | 8113786 | 4 | WIRE/CABLE | GND | | | |
| 7 | 17089474 | 6 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |
| 8 | 16605424 | 5 | SCREW | M8X16 MM (8.8) | | | |
| 9 | 8110207 | 1 | RUBBER SLEEVE | REAR | | | |
| 10 | 98433319 | 1 | WATER HOSE | DIAM=7,5 MM L=190 MM | | | |
| 11 | 8017529 | 1 | WATER PIPE | WITH SEAL | | | |
| 12 | 8017526 | 1 | WATER PIPE | WITH SEAL | | | |
| 13 | 8017588 | 1 | RETAINER | ASSY | | | |
| 14 | 17037931 | 1 | HEXAGON NUT | M8X1,25 | | | |
| 15 | 16605524 | 1 | HEXAGON BOLT | M8X20 MM (8.8) | S | | |
| 16 | 1366290 | 4 | RUBBER LUG | | | | |
| 17 | 8113298 | 1 | RETAINER | | | | |
| 18 | 8113299 | 1 | CLIP | | | | |
| 19 | 98433199 | 2 | RUBBER SLEEVE | | | | |
| 20 | 8110206 | 1 | RUBBER SLEEVE | REAR | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 33

Subgroup: 54 33 10

Table: 9007712

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------|---------------|--------|--------|-----------|
| 21 | 8017568 | 1 | WATER PIPE | WITH SEAL | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 33

Subgroup: 54 33 50

Table: 9007614



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 33

Subgroup: 54 33 50**Table: 9007614**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|----------------------|---------------------|--------|--------|-----------|
| 1 | 8017381 | 1 | MARINE GEAR OIL EXCH | ASSY | | | |
| 2 | 8017383 | 2 | COVER | | | | |
| 3 | 8017384 | 1 | TUBE STACK | | | | |
| 4 | 17290881 | 3 | O-RING | DIA=82,14X3,53 MM | | | |
| 5 | 16690824 | 6 | CYLIND-HEAD SCREW | M8X35 MM | | | |
| 6 | 17800474 | 6 | SPRING WASHER | DIAM=9 MM | | S | |
| 7 | 8017569 | 1 | SUPPORT | WITH SEAL | | | |
| 8 | 8017424 | 2 | CLAMP | | | | |
| 9 | 8017425 | 2 | CLAMP | | | | |
| 10 | 1366290 | 8 | RUBBER LUG | | | | |
| 11 | 8017495 | 2 | CONNECTOR | 1/2" GAS | | | |
| 12 | 11306921 | 2 | HEXAGON BOLT | M10X1,25X30 MM | | S | |
| 13 | 8113786 | 1 | WIRE/CABLE | GND | | | |
| 14 | 16607724 | 2 | HEXAGON BOLT | M10X1,5X30 MM (8.8) | | S | |
| 15 | 17090174 | 4 | SPRING WASHER | DIAM=10X20 MM | | | |
| 16 | 17038121 | 2 | HEXAGON NUT | M10 | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 33

Subgroup: 54 33 60

Table: 9007633



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 33

Subgroup: 54 33 60**Table: 9007633**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|----------------------|----------------------|--------|--------|-----------|
| 1 | 8017607 | 1 | WATER/SEA WATER EXCH | ASSY | | | |
| 2 | 14056240 | 1 | NUT | M16X1,5 | | | |
| 3 | 4918908 | 1 | TIE ROD | | | | |
| 4 | 4918922 | 1 | FLAT GASKET ENGINE | | | | |
| 5 | 4918846 | 1 | O-RING | | | | |
| 6 | 8110556 | 1 | SUPPORT | | | | |
| 7 | 4930157 | 1 | FLAT GASKET ENGINE | ASSY | | | |
| 8 | 8017256 | 1 | RETAINER | | | | |
| 9 | 8014890 | 1 | TUBE STACK | | | | |
| 10 | 15971821 | 2 | HEXAGON BOLT | M10X100 MM | | S | |
| 11 | 8017248 | 1 | COVER | | | | |
| 12 | 8017445 | 1 | COVER | | | | |
| 13 | 8105277 | 2 | ZINC ANODE | DIA=14 MM | | | |
| 14 | 4858610 | 2 | SEAL RING | DIAM=18X24 MM SP=1,5 | | | |
| 15 | 4858607 | 1 | SEAL RING | DIAM=12X17 MM SP=1,5 | | | |
| 16 | 17090474 | 4 | SPRING WASHER | DIAM=10X27 MM SP=2,5 | | | |
| 17 | 15004021 | 2 | HEXAGON BOLT | M10X1,25X25 MM | | | |
| 18 | 17090174 | 5 | SPRING WASHER | DIAM=10X20 MM | | | |
| 19 | 15970521 | 1 | HEXAGON BOLT | M10X20 MM | | S | |
| 20 | 11343721 | 1 | HEXAGON BOLT | M10X65 MM | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 33

Subgroup: 54 33 60**Table: 9007633**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|------------------------|--------|--------|-----------|
| 21 | 11306921 | 1 | HEXAGON BOLT | M10X1,25X30 MM | | S | |
| 22 | 4723225 | 1 | CHOCK | | | | |
| 23 | 15969821 | 2 | SCREW | M10X1,25X220 | | | |
| 24 | 4930462 | 1 | PLUG | ASSY | | S | |
| 25 | 4917793 | 2 | PLUG | M18 | | V | |
| 26 | 16992440 | 1 | THREADED PLUG | M8X20 MM (8.8) | | | |
| 27 | 16746524 | 2 | STUD | M8X16X16 | | | |
| 28 | 17253670 | 1 | PIN | DIA=4X14 MM | | | |
| 29 | 17253870 | 1 | PIN | DIA=4X18 MM | | | |
| 30 | 4858609 | 1 | SEAL RING | DIAM=16X22 MM SP=1,5 | | | |
| 31 | 10265360 | 1 | SEAL GASKET | DIAM=40X48 MM SP=1,5 | | | |
| 32 | 8102030 | 1 | FILLER NECK | | | | |
| 33 | 16991170 | 2 | LOCK PLUG | DIAM=36 MM | | | |
| 34 | 4918844 | 1 | WASHER | | | | |
| 35 | 17252170 | 1 | PARALLEL PIN | DIA=3X8 MM | | | |
| 36 | 16746624 | 6 | STUD | M8X20 MM (8.8) | | | |
| 37 | 8009905 | 1 | FLAT GASKET ENGINE | | | | |
| 38 | 4918993 | 1 | FLANGE | | | | |
| 39 | 17089474 | 3 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |
| 40 | 17037931 | 3 | HEXAGON NUT | M8X1,25 | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 33

Subgroup: 54 33 80

Table: 9010775



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 33

Subgroup: 54 33 80**Table: 9010775**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|------------------------|--------|--------|-----------|
| 1 | 8017564 | 1 | WATER PUMP | ASSY JABSCO | | M | |
| 2 | 8016899 | 1 | WATER PUMP | ASSY JABSCO | | | |
| 3 | 4621358 | 1 | RING | | | S | |
| 4 | 8008734 | 1 | FLAT GASKET ENGINE | | | | |
| 5 | 17037934 | 3 | NUT | | | | |
| 6 | 17089474 | 3 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |
| 7 | 16729424 | 3 | STUD | M8X1,25X25 MM | | | |
| 8 | 8102115 | 1 | SUPPORT | | | | |
| 9 | 4850986 | 1 | FLAT GASKET ENGINE | | | | |
| 10 | 16744924 | 4 | STUD | M6X1 | | | |
| 11 | 11197771 | 4 | SPRING WASHER | DIAM=6X12 MM SP=1,2 MM | | S | |
| 12 | 17037821 | 4 | NUT | M6X1 | | | |
| 13 | 4934315 | 1 | SPACING BAR | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 33

Subgroup: 54 33 80

Table: 9010776



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 33

Subgroup: 54 33 80**Table: 9010776**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|---------------|--------|--------|-----------|
| 1 | 8106207 | 1 | WATER PUMP IMPELL. | | | | |
| 3 | 8093345 | 6 | SCREW | | | | |
| 4 | 4914944 | 1 | FLAT GASKET ENGINE | | | | |
| 5 | 4914945 | 1 | COVER | | | | |
| 6 | 8106286 | 1 | RETAINING CAM | | | | |
| 7 | 8093336 | 1 | SCREW | | | | |
| 8 | 4914941 | 1 | STOP RING | | | | |
| 9 | 8093346 | 1 | SEAL RING | | | | |
| 10 | 8106247 | 2 | DRIVE BEARING | | | | |
| 12 | 8112168 | 2 | SEAL RING | | | | |
| 13 | 8093348 | 1 | SHAFT | | S | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 34

Subgroup: 54 34 00

Table: 9007184



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 34

Subgroup: 54 34 00**Table: 9007184**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|----------------|--------|--------|-----------|
| 1 | 4820917 | 1 | HUB | | | | |
| 2 | 4711787 | 1 | SPACER | | | | |
| 3 | 4802373 | 1 | WATER PUMP PULLEY | ASSY | | | |
| 5 | 4802371 | 1 | SET OF V-BELTS | KIT | | | |
| 6 | 11234731 | 6 | HEXAGON BOLT | M10X1,25X45 MM | | | |
| 7 | 4802369 | 1 | GENERATOR PULLEY | | | | |
| 8 | 4725248 | 1 | SPACER | | | | |
| 9 | 8823774 | 1 | SCREW | | | | |
| 10 | 17090174 | 10 | SPRING WASHER | DIAM=10X20 MM | | | |
| 11 | 11306931 | 4 | HEXAGON BOLT | M10X30 MM | S | | |
| 12 | 4811426 | 1 | BUSH | | | | |
| 13 | 8823773 | 1 | WASHER | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 35

Subgroup: 54 35 00

Table: 9007912



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 35

Subgroup: 54 35 00**Table: 9007912**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|---------------|--------|--------|-----------|
| 1 | 4692781 | 1 | CENTERING BUSH | | | | |
| 2 | 4708219 | 1 | SUPPORT | ASSY | | | |
| 3 | 10837610 | 1 | DOWEL PIN | DIA=8 MM | | S | |
| 4 | 4708217 | 1 | GEAR | ASSY | | | |
| 5 | 14327101 | 1 | LOCK PLUG | DIAM=7 MM | | S | |
| 6 | 4722819 | 1 | INJ.PUMP DRIV.GEA | | | | |
| 7 | 14600370 | 1 | DOWEL PIN | DIAM=5 MM | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 36

Subgroup: 54 36 00

Table: 9008000



* ONLY SEPARATE PARTS ARE SERVICED - SI FORNISCONO SOLO LE PARTI - ON LIVRE SEULEMENT LES PIECES - NUR EINZELTEILE LIEFERBAR - SOLO SE SUMINISTRAN LAS PIEZAS SUELTAS

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 36

Subgroup: 54 36 00**Table: 9008000**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------|----------------------|--------|--------|-----------|
| 1 | 4755111 | 1 | STARTER MOTOR | ASSY BOSCH | | S | R |
| 2 | 11198479 | 3 | SPRING WASHER | DIAM=10X27 MM SP=2,8 | | S | |
| 3 | 15970924 | 3 | HEXAGON BOLT | M10X1,25X35 MM | | S | |
| 4 | 500325185 | 1 | STARTER MOTOR | 24V BOSCH | | | |
| 5 | 4807379 | 1 | STARTER MOTOR | ASSY MARELLI | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 36

Subgroup: 54 36 00

Table: 9011598



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 36

Subgroup: 54 36 00**Table: 9011598**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------|-------------------------|--------|--------|-----------|
| 1 | 500338952 | 1 | STARTER MOTOR | ASSY BOSCH - 12V - OPT. | | S | |
| 2 | 8094991 | 1 | RELAY | 12 V | | | |
| 3 | 8113170 | 1 | CONNECTION | ASSY | | | |
| 4 | 8020686 | 1 | ENGINE STOP | ASSY | | | |
| 5 | 8108574 | 1 | RELAY | 12V | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 36

Subgroup: 54 36 00

Table: 9011616



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 36

Subgroup: 54 36 00**Table: 9011616**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|----------------------|----------------|--------|--------|-----------|
| 1 | 8022082 | 1 | INS OIL STARTER MOT. | ASSY LUCAS 24V | | | |
| 2 | 17095004 | 1 | WASHER | DIAM=10X18 MM | S | | |
| 3 | 10233621 | 1 | SCREW | M10X1,25X35 | | | |
| 4 | 8012259 | 1 | EARTH WIRE | | | | |
| 5 | 8109878 | 1 | WIRE/CABLE | | | | |

Frame:

Class: 54





VP/PIC: 00000498

Group: 54 36

Model: 8361SRM40.10

Subgroup: 54 36 00

Table: 9011627



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 36

Subgroup: 54 36 00**Table: 9011627**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|----------------------|----------------|--------|--------|-----------|
| 1 | 8022081 | 1 | INS OIL STARTER MOT. | ASSY LUCAS 12V | | | |
| 2 | 17095004 | 3 | WASHER | DIAM=10X18 MM | | S | |
| 3 | 10923621 | 3 | HEXAGON BOLT | M10X1,25X35 MM | | S | |
| 4 | 8020686 | 1 | ENGINE STOP | ASSY | | | |
| 5 | 8108574 | 1 | RELAY | 12V | | | |
| 6 | 8094991 | 1 | RELAY | 12 V | | | |
| 7 | 8113170 | 1 | CONNECTION | ASSY | | | |
| 8 | 8109878 | 1 | WIRE/CABLE | | | | |
| 9 | 8112259 | 1 | EARTH WIRE | | | | |
| 10 | 8020686 | 1 | ENGINE STOP | ASSY | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 36

Subgroup: 54 36 50

Table: 9008160



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 36

Subgroup: 54 36 50**Table: 9008160**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|----------------------|--------|--------|-----------|
| 1 | 4854645 | 1 | THERMO-STARTER | BERU 23V | | S | |
| 2 | 98429280 | 1 | SEAL GASKET | DIAM=20X26 MM SP=1,5 | | | |
| 3 | 98494898 | 1 | ELECT.V.VE.PREHEAT | | | | |
| 4 | 8017579 | 1 | RETAINER | | | | |
| 5 | 17094504 | 1 | WASHER | DIAM=5,3X10 MM | | | |
| 6 | 17088474 | 1 | SPRING WASHER | DIAM=6X12 MM | | | |
| 7 | 16601924 | 1 | HEXAGON BOLT | M5X10 MM | | | |
| 8 | 16603424 | 1 | HEXAGON BOLT | M6X10 MM | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 36

Subgroup: 54 36 70

Table: 9012213



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 36

Subgroup: 54 36 70**Table: 9012213**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------------|----------------------|--------|--------|-----------|
| 1 | 8008375 | 1 | ARMoured resistance | 700W | | | |
| 2 | 8006951 | 1 | RETAINER | | | | |
| 3 | 8013087 | 1 | CONNECTOR | M14X1,5/M22X1,5 | | | |
| 4 | 8101556 | 2 | SPACING BAR | SP=13,00 MM | | | |
| 5 | 8026866 | 1 | WATER PIPE | | | | |
| 6 | 17764591 | 4 | CLIP | DIA=20/32 MM | S | | |
| 7 | 10902121 | 2 | HEXAGON BOLT | M6X14 MM | S | | |
| 8 | 17088474 | 2 | SPRING WASHER | DIAM=6X12 MM | | | |
| 9 | 17316790 | 2 | RETAINER | DIAM=16 MM | S | | |
| 10 | 8013119 | 1 | WATER PIPE | | | | |
| 11 | 8009376 | 1 | EXTENSION | ASSY | | | |
| 12 | 11343821 | 2 | HEXAGON BOLT | M10X1,25X50 MM | | | |
| 13 | 8011696 | 1 | CONNECTOR | M16X1,5/M22X1,5 | | | |
| 14 | 4858609 | 1 | SEAL RING | DIAM=16X22 MM SP=1,5 | | | |
| 15 | 4858608 | 1 | SEAL GASKET | DIAM=14 MM | | | |
| 16 | 8109346 | 2 | RUBBER SLEEVE | | | | |
| 17 | 10300911 | 1 | THREADED PLUG | M8 | | | |
| 18 | 4858605 | 1 | SEAL RING | DIAM=8X12 MM | | | |
| 19 | 16603724 | 2 | HEXAGON BOLT | M6X20 MM (8.8) | S | | |
| 20 | 17088974 | 2 | SPRING WASHER | DIAM=6,4X18 MM | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 36

Subgroup: 54 36 70**Table: 9012213**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------|---------------|--------|--------|-----------|
| 21 | 4935433 | 1 | RETAINER | BUNDY | | | |
| 22 | 17037821 | 2 | NUT | M6X1 | | | |
| 23 | 8107409 | 1 | RETAINER | | | | |
| 24 | 8024649 | 2 | O-RING | DIA=12 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 40

Subgroup: 54 40 00

Table: 9008406



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 40

Subgroup: 54 40 00**Table: 9008406**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------|---------------|--------|--------|-----------|
| 1 | 4808519 | 1 | ALTERNATOR | MARELLI - 24V | | S | |
| 2 | 8105654 | 1 | WIRE/CABLE | | | | |
| 3 | 17088474 | 1 | SPRING WASHER | DIAM=6X12 MM | | | |
| 4 | 17037821 | 1 | NUT | M6X1 | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 40

Subgroup: 54 40 00

Table: 9008565



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 40

Subgroup: 54 40 00**Table: 9008565**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|----------------------|----------------------|--------|--------|-----------|
| 1 | 4513436 | 1 | SUPPORT RING | DIA=10X21X2 MM | | | |
| 2 | 4712521 | 1 | BELT TENSIONER | | | | |
| 3 | 8105500 | 1 | GENERATOR SUPPORT | | | | |
| 4 | 11198379 | 3 | SPRING WASHER | DIAM=10X20 MM SP=2,6 | S | | |
| 5 | 11198679 | 1 | SPRING WASHER | DIAM=13 MM | S | | |
| 6 | 12164711 | 2 | HEXAGON NUT | M10X1,25 | | | |
| 7 | 12646901 | 2 | WASHER | DIAM=12X28 MM | S | | |
| 8 | 13546421 | 2 | STUD | M10X1,25X48 MM | S | | |
| 9 | 8005194 | 1 | SPACING BAR | | | | |
| 10 | 14048717 | 1 | SELF-LOCKING NUT | M10X1,25 | S | | |
| 11 | 15541921 | 1 | HEXAGON BOLT | M12X1,25X130 MM | | | |
| 12 | 15004021 | 2 | HEXAGON BOLT | M10X1,25X25 MM | | | |
| 13 | 11234721 | 1 | HEXAGON BOLT | M10X1,25X45 MM | S | | |
| 14 | 16101511 | 1 | HEXAGON NUT | M12X1,25 | S | | |
| 17 | 12626001 | 1 | WASHER | DIA=10X21X2 MM | | | |
| 18 | 11190579 | 1 | SPRING WASHER | DIAM=10X20 MM SP=2,3 | S | | |
| 19 | 12626201 | 2 | WASHER | DIA=10,25X3 MM | S | | |
| 20 | 8113839 | 1 | ROTATING PARTS PROT. | PIRELLI | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 40

Subgroup: 54 40 00

Table: 9011828



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 40

Subgroup: 54 40 00**Table: 9011828**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|--------------------|--------|--------|-----------|
| 1 | 98424453 | 1 | ALTERNATOR | ASSY 28V 80A BOSCH | | | R |
| 2 | 8016521 | 1 | BELT TENSIONER | | | | |
| 3 | 14308121 | 1 | SOCKET-HEAD SCREW | | | S | |
| 4 | 8016204 | 1 | GENERATOR SUPPORT | | | | |
| 5 | 4742408 | 1 | SPACER BUSH | | | | |
| 6 | 4802731 | 1 | GENERATOR PULLEY | | | | |
| 7 | 15972621 | 1 | HEXAGON BOLT | M10X1,25X140 MM | | | |
| 8 | 17094504 | 2 | WASHER | DIAM=5,3X10 MM | | | |
| 9 | 17094204 | 2 | WASHER | DIAM=4X8 MM | | | |
| 10 | 17094904 | 2 | WASHER | DIAM=8,4X16 MM | | | |
| 11 | 17494834 | 1 | WASHER | DIAM=8 MM | | S | |
| 12 | 10615379 | 1 | TOOTHED WASHER | DIAM=5,3 MM | | S | |
| 13 | 10615279 | 1 | WASHER | DIAM=4 MM | | | |
| 14 | 17494934 | 1 | SPRING WASHER | DIAM=10X21 MM | | | |
| 15 | 17037721 | 1 | NUT | M5 | | S | |
| 16 | 17037921 | 1 | HEXAGON NUT | M8X1,25 | | S | |
| 17 | 17095104 | 2 | WASHER | DIAM=10,5X21 MM | | S | |
| 18 | 17038221 | 1 | HEXAGON NUT | M10 | | S | |
| 19 | 17037621 | 1 | HEXAGON NUT | M4 | | | |
| 20 | 8019531 | 1 | WIRE/CABLE | W | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 40

Subgroup: 54 40 00

Table: 9011828

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|------------------|---------------|--------|--------|-----------|
| 21 | 12277944 | 1 | PIN | D+ | | | |
| 22 | 98424121 | 1 | CONNECTING PLATE | | | | |

Frame:

Class: 54


VP/PIC: 00000498

Group: 54 40

Model: 8361SRM40.10

Subgroup: 54 40 00

Table: 9011864



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 40

Subgroup: 54 40 00**Table: 9011864**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|------------------|---------------|--------|--------|-----------|
| 1 | 8107937 | 1 | ALTERNATOR | ASSY MARELLI | | | |
| 2 | 4802731 | 1 | GENERATOR PULLEY | | | | |
| 3 | 4717026 | 1 | GENERATOR FAN | | | | |
| 4 | 8030333 | 1 | WIRE/CABLE | | | | |
| 5 | 15896211 | 1 | HEXAGON NUT | M6 | | S | |
| 6 | 11197779 | 1 | SPRING WASHER | DIAM=6X12 MM | | S | |
| 7 | 4808510 | 1 | ALTERNATOR | ASSY MARELLI | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 40

Subgroup: 54 40 00

Table: 9011884



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 40

Subgroup: 54 40 00**Table: 9011884**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|------------------|---------------|--------|--------|-----------|
| 1 | 8114086 | 1 | ALTERNATOR | ASSY MOTOROLA | | S | |
| 2 | 4802731 | 1 | GENERATOR PULLEY | | | | |
| 3 | 8109877 | 1 | WIRE/CABLE | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 40

Subgroup: 54 40 00

Table: 9011893



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 40

Subgroup: 54 40 00**Table: 9011893**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|------------------|---------------------|--------|--------|-----------|
| 1 | 8102355 | 1 | ALTERNATOR | ASSY MOTOROLA - 12V | | | |
| 2 | 4802731 | 1 | GENERATOR PULLEY | | | | |
| 3 | 8109877 | 1 | WIRE/CABLE | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 40

Subgroup: 54 40 00

Table: 9011912



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 40

Subgroup: 54 40 00**Table: 9011912**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|------------------|----------------------|--------|--------|-----------|
| 1 | 99461190 | 1 | ALTERNATOR | ASSY BOSCH | | S | R |
| 2 | 8109713 | 1 | GENERATOR PULLEY | | | | |
| 3 | 8109714 | 1 | SET OF V-BELTS | KIT | | | |
| 4 | 4757196 | 1 | GENERATOR FAN | BOSCH | | | |
| 5 | 17494834 | 1 | WASHER | DIAM=8 MM | | S | |
| 6 | 8023785 | 1 | BELT TENSIONER | | | | |
| 7 | 11306921 | 1 | HEXAGON BOLT | M10X1,25X30 MM | | S | |
| 8 | 17095104 | 1 | WASHER | DIAM=10,5X21 MM | | S | |
| 9 | 17090474 | 1 | SPRING WASHER | DIAM=10X27 MM SP=2,5 | | | |
| 10 | 17038221 | 1 | HEXAGON NUT | M10 | | S | |
| 11 | 17037931 | 1 | HEXAGON NUT | M8X1,25 | | | |
| 12 | 17094904 | 1 | WASHER | DIAM=8,4X16 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 40

Subgroup: 54 40 23

Table: 9008666



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 40

Subgroup: 54 40 23

Table: 9008666

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|------------------|---------------|--------|--------|-----------|
| 1 | 4717026 | 1 | GENERATOR FAN | | | | |
| 2 | 4802731 | 1 | GENERATOR PULLEY | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 42

Subgroup: 54 42 00

Table: 9008780



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 42

Subgroup: 54 42 00**Table: 9008780**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------|-----------------------|--------|--------|-----------|
| 1 | 8017519 | 1 | COVER | WITH SEAL | | | |
| 2 | 17089574 | 2 | WASHER | DIAM=8X16 MM | | S | |
| 3 | 17278581 | 1 | O-RING | DIAM=18,77 MM SP=1,78 | | | |
| 4 | 16605534 | 2 | HEXAGON BOLT | M8X20 MM (10.9) | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 42

Subgroup: 54 42 70

Table: 9011497



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 42

Subgroup: 54 42 70**Table: 9011497**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|-------------------|--------|--------|-----------|
| 1 | 5169039 | 1 | HYDRAULIC PUMP | ASSY PLESSEY | | S | |
| 2 | 5179728 | 1 | HYDRAULIC PUMP | ASSY BOSCH | | | |
| 3 | 4670953 | 1 | CONNECTOR | | | S | |
| 4 | 14457280 | 1 | O-RING | DIA=2,62X15,54 MM | | S | |
| 5 | 14305521 | 2 | CYLIND-HEAD SCREW | M6X30 MM | | | |
| 6 | 11197779 | 6 | SPRING WASHER | DIAM=6X12 MM | | S | |
| 7 | 10902821 | 4 | HEXAGON BOLT | M6X30 MM | | S | |
| 8 | 8090343 | 1 | KIT-HYDRAULIC PUMP | | | | |
| 9 | 14457680 | 1 | O-RING | DIAM=21,89 MM | | S | |
| 10 | 4690715 | 1 | CONNECTOR | | | | |
| 11 | 14306621 | 2 | SCREW | M8X35 | | | |
| 12 | 11193879 | 2 | SPRING WASHER | DIAM=8X16 MM | | S | |
| 13 | 8009813 | 1 | SUPPORT | ASSY | | | |
| 14 | 4724168 | 1 | SHAFT | REAR | | | |
| 15 | 4667452 | 1 | SUPPORT RING | | | | |
| 16 | 4607586 | 2 | BUSH | | | S | |
| 17 | 4755621 | 1 | RING | REAR | | | |
| 18 | 4725414 | 1 | SPRING LOCKWASHER | REAR | | | |
| 19 | 14460181 | 1 | O-RING | SP=2,62 MM | | S | |
| 20 | 8009814 | 1 | SPACING BAR | | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 42

Subgroup: 54 42 70**Table: 9011497**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|----------------------|--------|--------|-----------|
| 21 | 4858606 | 1 | FLAT GASKET ENGINE | DIAM=10X14,5 MM SP=1 | | | |
| 22 | 4538832 | 1 | FLAT GASKET ENGINE | | S | | |
| 23 | 8273919 | 1 | NUT | BOSCH | | | |
| 24 | 8273920 | 1 | WASHER | BOSCH | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 56

Subgroup: 54 56 10

Table: 9009163

TTA



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 56

Subgroup: 54 56 10

Table: 9009163

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|---------------|--------|--------|-----------|
| 1 | 4857250 | 1 | TEMP. TRANSMITTER | | | A | |
| 2 | 4858608 | 1 | SEAL GASKET | DIAM=14 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 57

Subgroup: 54 57 70

Table: 9014283



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 57

Subgroup: 54 57 70**Table: 9014283**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------|------------------------|--------|--------|-----------|
| 1 | 4936806 | 1 | PROTECTION | | | | |
| 2 | 17090174 | 1 | SPRING WASHER | DIAM=10X20 MM | | | |
| 3 | 4936809 | 1 | RETAINER | | | | |
| 4 | 4936808 | 2 | PLATE | | | | |
| 5 | 11234721 | 1 | HEXAGON BOLT | M10X1,25X45 MM | | S | |
| 6 | 16605524 | 3 | HEXAGON BOLT | M8X20 MM (8.8) | | S | |
| 7 | 4934572 | 1 | SPACING BAR | | | | |
| 8 | 17037931 | 3 | HEXAGON NUT | M8X1,25 | | | |
| 9 | 17089474 | 3 | SPRING WASHER | DIAM=8X16 MM SP=1,4 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 86

Subgroup: 54 86 00

Table: 9009378



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 86

Subgroup: 54 86 00**Table: 9009378**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|----------------------|---------------|--------|--------|-----------|
| 1 | 8107486 | 1 | PRECLEANER/FILTER | ASSY | | | |
| 2 | 1908547 | 1 | FUEL PRE-FIL. CARTR. | | | | |
| 3 | 4858608 | 4 | SEAL GASKET | DIAM=14 MM | | | |
| 4 | 4864071 | 2 | PIPE SOCKET | | | | |
| 5 | 4864083 | 2 | BANJO BOLT | M14X1,5X30 MM | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 86

Subgroup: 54 86 00

Table: 9009383



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 86

Subgroup: 54 86 00**Table: 9009383**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|----------------|---------------|--------|--------|-----------|
| 1 | 4652427 | 1 | EXPANSION TANK | ASSY | | S | |
| 2 | 4274033 | 1 | PLUG | | | | |
| 3 | 4933230 | 1 | CONNECTOR | | | | |
| 4 | 8105750 | 1 | WATER PIPE | | | | |
| 5 | 4933297 | 1 | RETAINER | | | | |
| 6 | 98434883 | 1 | WATER HOSE | | | | |
| 7 | 17764593 | 2 | CLIP | DIA=20/32 MM | | | |
| 8 | 17764293 | 2 | CLIP | DIA=10/16 MM | | S | |
| 9 | 8052875 | 1 | EXPANSION TANK | ASSY | | | |
| 10 | 8052959 | 1 | PLUG | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 86

Subgroup: 54 86 00

Table: 9009390



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 86

Subgroup: 54 86 00**Table: 9009390**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|-----------------------|--------|--------|-----------|
| 1 | 8017236 | 1 | PLATE | | | | |
| 2 | 98411035 | 1 | ELECTR.CONTR.UNIT | 24V PREHEATER CONTROL | | S | |
| 3 | 98433973 | 1 | FUSE BOX | | | S | |
| 4 | 98433974 | 1 | FUSE | 30A | | | |
| 5 | 17088474 | 4 | SPRING WASHER | DIAM=6X12 MM | | | |
| 6 | 16603524 | 2 | SCREW | M6X12 MM (8.8) | | S | |
| 7 | 11181479 | 2 | WASHER | DIA=4X9X0,7 MM | | | |
| 8 | 10444721 | 2 | HEXAGON BOLT | M4 | | S | |
| 9 | 17131814 | 2 | CYLIND-HEAD SCREW | M5X10 | | | |
| 10 | 17494634 | 2 | SPRING WASHER | DIAM=5,1X9,2 MM | | | |
| 11 | 16665304 | 2 | WASHER | DIAM=5X10 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 54

Group: 54 86

Subgroup: 54 86 95

Table: 9013530



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 54

Group: 54 86

Subgroup: 54 86 95

Table: 9013530

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------|---------------|--------|--------|-----------|
| 1 | 8107950 | 1 | HORN | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20

Table: 9014740



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20**Table: 9014740**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|----------------|--------|--------|-----------|
| 1 | 8014782 | 1 | MARINE INVERSOR | 1,51:1 | | | |
| 2 | 17090174 | 12 | SPRING WASHER | DIAM=10X20 MM | | | |
| 3 | 11306921 | 10 | HEXAGON BOLT | M10X1,25X30 MM | | S | |
| 4 | 15004021 | 10 | HEXAGON BOLT | M10X1,25X25 MM | | | |
| 5 | 4935465 | 2 | CONNECTOR | | | | |
| 6 | 8105619 | 1 | OIL HOSE | | | | |
| 7 | 8105620 | 1 | OIL LINE | | | | |
| 8 | 8014543 | 1 | FLEXIBLE COUPLING | | | | |
| 9 | 17494934 | 8 | SPRING WASHER | DIAM=10X21 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20

Table: 9014781



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20**Table: 9014781**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|----------------|--------|--------|-----------|
| 1 | 8012990 | 1 | MARINE INVERSOR | 1,51:1 | | | |
| 2 | 17090174 | 12 | SPRING WASHER | DIAM=10X20 MM | | | |
| 3 | 11306921 | 10 | HEXAGON BOLT | M10X1,25X30 MM | | S | |
| 4 | 15004021 | 10 | HEXAGON BOLT | M10X1,25X25 MM | | | |
| 5 | 4935465 | 2 | CONNECTOR | | | | |
| 6 | 8105619 | 1 | OIL HOSE | | | | |
| 7 | 8105620 | 1 | OIL LINE | | | | |
| 8 | 8014543 | 1 | FLEXIBLE COUPLING | | | | |
| 9 | 14494934 | 8 | WASHER | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20

Table: 9014782



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20**Table: 9014782**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|----------------|--------|--------|-----------|
| 1 | 8012991 | 1 | MARINE INVERSOR | 1,98:1 | | | |
| 2 | 17090174 | 12 | SPRING WASHER | DIAM=10X20 MM | | | |
| 3 | 11306921 | 10 | HEXAGON BOLT | M10X1,25X30 MM | | S | |
| 4 | 15004021 | 10 | HEXAGON BOLT | M10X1,25X25 MM | | | |
| 5 | 4935465 | 2 | CONNECTOR | | | | |
| 6 | 8105619 | 1 | OIL HOSE | | | | |
| 7 | 8105620 | 1 | OIL LINE | | | | |
| 8 | 8014543 | 1 | FLEXIBLE COUPLING | | | | |
| 9 | 14494934 | 8 | WASHER | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20

Table: 9014783



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20**Table: 9014783**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|----------------|--------|--------|-----------|
| 1 | 8020441 | 1 | MARINE INVERSOR | 1,77:1 | | | |
| 2 | 17090174 | 12 | SPRING WASHER | DIAM=10X20 MM | | | |
| 3 | 11306921 | 10 | HEXAGON BOLT | M10X1,25X30 MM | | S | |
| 4 | 15004021 | 10 | HEXAGON BOLT | M10X1,25X25 MM | | | |
| 5 | 4935465 | 2 | CONNECTOR | | | | |
| 6 | 8105619 | 1 | OIL HOSE | | | | |
| 7 | 8105620 | 1 | OIL LINE | | | | |
| 8 | 8014543 | 1 | FLEXIBLE COUPLING | | | | |
| 9 | 14494934 | 8 | WASHER | | | | |

Frame:

VP/PIC: 00000498



Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20

Table: 9014818



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20**Table: 9014818**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|----------------|--------|--------|-----------|
| 1 | 8114322 | 1 | MARINE INVERSOR | 1,51:1 | | | |
| 2 | 8026401 | 1 | MARINE INVERSOR | 1.52:1 | | | |
| 3 | 8023041 | 1 | FLEXIBLE COUPLING | | | | |
| 4 | 14308021 | 8 | SCREW | M10X1,25X55 | | | |
| 5 | 8107191 | 1 | OIL FILTER | TECNOCAR | | | |
| 6 | 11306921 | 10 | HEXAGON BOLT | M10X1,25X30 MM | S | | |
| 7 | 8105619 | 2 | OIL HOSE | | | | |
| 8 | 8105620 | 1 | OIL LINE | | | | |
| 9 | 8100897 | 2 | CONNECTOR | 1/2"/M16X1,5 | | | |
| 10 | 17090174 | 12 | SPRING WASHER | DIAM=10X20 MM | | | |
| 11 | 8006783 | 1 | FLEXIBLE COUPLING | | M | | |
| 12 | 15004021 | 10 | HEXAGON BOLT | M10X1,25X25 MM | | | |
| 13 | 17494934 | 8 | SPRING WASHER | DIAM=10X21 MM | | | |

Frame:

VP/PIC: 00000498



Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20

Table: 9014819



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20**Table: 9014819**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|----------------|--------|--------|-----------|
| 1 | 8114323 | 1 | MARINE INVERSOR | 2,00:1 | | | |
| 2 | 8026402 | 1 | MARINE INVERSOR | 2.01:1 | | | |
| 3 | 8023041 | 1 | FLEXIBLE COUPLING | | | | |
| 4 | 14308021 | 8 | SCREW | M10X1,25X55 | | | |
| 5 | 8107191 | 1 | OIL FILTER | TECNOCAR | | | |
| 6 | 11306921 | 10 | HEXAGON BOLT | M10X1,25X30 MM | S | | |
| 7 | 8105619 | 2 | OIL HOSE | | | | |
| 8 | 8105620 | 1 | OIL LINE | | | | |
| 9 | 8100897 | 2 | CONNECTOR | 1/2"/M16X1,5 | | | |
| 10 | 17090174 | 12 | SPRING WASHER | DIAM=10X20 MM | | | |
| 11 | 8006783 | 1 | FLEXIBLE COUPLING | | M | | |
| 12 | 15004021 | 10 | HEXAGON BOLT | M10X1,25X25 MM | | | |
| 13 | 17494934 | 8 | SPRING WASHER | DIAM=10X21 MM | | | |

Frame:

VP/PIC: 00000498



Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20

Table: 9014820



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20**Table: 9014820**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|----------------|--------|--------|-----------|
| 1 | 8114324 | 1 | MARINE INVERSOR | 2.90:1 | | | |
| 2 | 8026403 | 1 | MARINE INVERSOR | 2.90:1 | | | |
| 3 | 8023041 | 1 | FLEXIBLE COUPLING | | | | |
| 4 | 14308021 | 8 | SCREW | M10X1,25X55 | | | |
| 5 | 8107191 | 1 | OIL FILTER | TECNOCAR | | | |
| 6 | 11306921 | 10 | HEXAGON BOLT | M10X1,25X30 MM | S | | |
| 7 | 8105619 | 2 | OIL HOSE | | | | |
| 8 | 8105620 | 1 | OIL LINE | | | | |
| 9 | 8100897 | 2 | CONNECTOR | 1/2"/M16X1,5 | | | |
| 10 | 17090174 | 12 | SPRING WASHER | DIAM=10X20 MM | | | |
| 11 | 8006783 | 1 | FLEXIBLE COUPLING | | M | | |
| 12 | 15004021 | 10 | HEXAGON BOLT | M10X1,25X25 MM | | | |
| 13 | 17494934 | 8 | SPRING WASHER | DIAM=10X21 MM | | | |

Frame:

VP/PIC: 00000498



Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20

Table: 9014872



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20**Table: 9014872**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|----------------|--------|--------|-----------|
| 1 | 8114327 | 1 | MARINE INVERSOR | 1.10:1 | | | |
| 2 | 8026404 | 1 | MARINE INVERSOR | 1.10:1 | | | |
| 3 | 8023041 | 1 | FLEXIBLE COUPLING | | | | |
| 4 | 14308021 | 8 | SCREW | M10X1,25X55 | | | |
| 5 | 8107191 | 1 | OIL FILTER | TECNOCAR | | | |
| 6 | 11306921 | 10 | HEXAGON BOLT | M10X1,25X30 MM | S | | |
| 7 | 8105619 | 2 | OIL HOSE | | | | |
| 8 | 8105620 | 1 | OIL LINE | | | | |
| 9 | 8100897 | 2 | CONNECTOR | 1/2"/M16X1,5 | | | |
| 10 | 17090174 | 12 | SPRING WASHER | DIAM=10X20 MM | | | |
| 11 | 8006783 | 1 | FLEXIBLE COUPLING | | M | | |
| 12 | 15004021 | 10 | HEXAGON BOLT | M10X1,25X25 MM | | | |
| 13 | 17494934 | 8 | SPRING WASHER | DIAM=10X21 MM | | | |

Frame:

VP/PIC: 00000498



Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20

Table: 9014873



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20**Table: 9014873**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|----------------|--------|--------|-----------|
| 1 | 8114328 | 1 | MARINE INVERSOR | 1.41:1 | | | |
| 2 | 8026405 | 1 | MARINE INVERSOR | 1.41:1 | | | |
| 3 | 8023041 | 1 | FLEXIBLE COUPLING | | | | |
| 4 | 14308021 | 8 | SCREW | M10X1,25X55 | | | |
| 5 | 8107191 | 1 | OIL FILTER | TECNOCAR | | | |
| 6 | 11306921 | 10 | HEXAGON BOLT | M10X1,25X30 MM | S | | |
| 7 | 8105619 | 2 | OIL HOSE | | | | |
| 8 | 8105620 | 1 | OIL LINE | | | | |
| 9 | 8100897 | 2 | CONNECTOR | 1/2"/M16X1,5 | | | |
| 10 | 17090174 | 12 | SPRING WASHER | DIAM=10X20 MM | | | |
| 11 | 8006783 | 1 | FLEXIBLE COUPLING | | M | | |
| 12 | 15004021 | 10 | HEXAGON BOLT | M10X1,25X25 MM | | | |
| 13 | 17494934 | 8 | SPRING WASHER | DIAM=10X21 MM | | | |

Frame:

VP/PIC: 00000498



Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20

Table: 9014874



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20**Table: 9014874**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|----------------|--------|--------|-----------|
| 1 | 8114329 | 1 | MARINE INVERSOR | 1,86:1 | | | |
| 2 | 8026406 | 1 | MARINE INVERSOR | 1.86 : 1 | | | |
| 3 | 8023041 | 1 | FLEXIBLE COUPLING | | | | |
| 4 | 14308021 | 8 | SCREW | M10X1,25X55 | | | |
| 5 | 8107191 | 1 | OIL FILTER | TECNOCAR | | | |
| 6 | 11306921 | 10 | HEXAGON BOLT | M10X1,25X30 MM | S | | |
| 7 | 8105619 | 2 | OIL HOSE | | | | |
| 8 | 8105620 | 1 | OIL LINE | | | | |
| 9 | 8100897 | 2 | CONNECTOR | 1/2"/M16X1,5 | | | |
| 10 | 17090174 | 12 | SPRING WASHER | DIAM=10X20 MM | | | |
| 11 | 8006783 | 1 | FLEXIBLE COUPLING | | M | | |
| 12 | 15004021 | 10 | HEXAGON BOLT | M10X1,25X25 MM | | | |
| 13 | 17494934 | 8 | SPRING WASHER | DIAM=10X21 MM | | | |

Frame:

VP/PIC: 00000498



Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20

Table: 9014877



Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 20**Table: 9014877**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|----------------|--------|--------|-----------|
| 1 | 8114330 | 1 | MARINE INVERSOR | 2.69:1 | | | |
| 2 | 8026407 | 1 | MARINE INVERSOR | 2.69:1 | | | |
| 3 | 8023041 | 1 | FLEXIBLE COUPLING | | | | |
| 4 | 14308021 | 8 | SCREW | M10X1,25X55 | | | |
| 5 | 8107191 | 1 | OIL FILTER | TECNOCAR | | | |
| 6 | 11306921 | 10 | HEXAGON BOLT | M10X1,25X30 MM | S | | |
| 7 | 8105619 | 2 | OIL HOSE | | | | |
| 8 | 8105620 | 1 | OIL LINE | | | | |
| 9 | 8100897 | 2 | CONNECTOR | 1/2"/M16X1,5 | | | |
| 10 | 17090174 | 12 | SPRING WASHER | DIAM=10X20 MM | | | |
| 11 | 8006783 | 1 | FLEXIBLE COUPLING | | M | | |
| 12 | 15004021 | 10 | HEXAGON BOLT | M10X1,25X25 MM | | | |
| 13 | 17494934 | 8 | SPRING WASHER | DIAM=10X21 MM | | | |

Table: 9016785

• By request only - A richiesta - Sur demande - Auf Wunsch - Sobre pedido

Frame:

VP/PIC: 00000498




Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 91**Table: 9016785**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------|----------------------|--------|--------|-----------|
| 6 | 8090551 | 1 | VALVE | | | | |
| 10 | 8090552 | 1 | O-RING | | | | |
| 14 | 8090554 | 1 | OIL FILTER | | | | |
| 15 | 10296260 | 1 | SEAL GASKET | DIAM=28X36 MM SP=1,5 | | | |
| 16 | 10305440 | 1 | PLUG | M28X1,5 | | S | |
| 19 | 8090556 | 1 | CIRCLIP | | | | |
| 29 | 8090557 | 2 | O-RING | | | | |
| 36 | 8107191 | 1 | OIL FILTER | TECNOCAR | | | |
| 68 | 752221 | 1 | FILTER | | | | |

Table: 9016786**FORWARD****REVERSE**

• By request only - A richiesta - Sur demande - Auf Wunsch - Sobre pedido

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 91**Table: 9016786**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|---------------|--------|--------|-----------|
| 5 | 17090274 | 6 | WASHER | DIAM=10X20 MM | | | |
| 6 | 8090541 | 1 | O-RING | | | | |
| 9 | 8090879 | 1 | FLAT GASKET ENGINE | | | | |
| 10 | 8090542 | 1 | DRIVE BEARING | | | | |
| 14 | 8090543 | 1 | DRIVE BEARING | | | | |
| 18 | 8090880 | 2 | DRIVE BEARING | | | | |
| 21 | 8090544 | 2 | O-RING | | | | |
| 23 | 8090545 | 2 | O-RING | | | | |
| 25 | 8090881 | 9 | RING | | | | |
| 27 | 8090546 | 8 | RING | | | | |
| 28 | 8090547 | 2 | RING | | | | |
| 29 | 8090548 | 2 | CIRCLIP | | | | |
| 34 | 8090882 | 2 | CIRCLIP | | | | |
| 37 | 8090883 | 4 | DRIVE BEARING | | | | |
| 38 | 8090884 | 2 | DRIVE BEARING | | | | |
| 40 | 8090549 | 1 | O-RING | | | | |
| 44 | 8090885 | 1 | DRIVE BEARING | | | | |
| 46 | 8090886 | 1 | O-RING | | | | |
| 47 | 8090887 | 1 | O-RING | | | | |
| 52 | 8090550 | 1 | DRIVE BEARING | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 91**Table: 9016786**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------|----------------------|--------|--------|-----------|
| 56 | 17090274 | 6 | WASHER | DIAM=10X20 MM | | | |
| 61 | 16508460 | 1 | WASHER | DIAM=22X27 MM SP=1,5 | | | |
| 62 | 10305140 | 1 | LOCK PLUG | M22X1,5 | | | |
| 64 | 17090274 | 15 | WASHER | DIAM=10X20 MM | | | |
| 66 | 8090888 | 1 | DRIVE BEARING | | | | |
| 71 | 8090889 | 1 | DRIVE BEARING | | | | |

Table: 9016787

• By request only - A richiesta - Sur demande - Auf Wunsch - Sobre pedido

Frame:

VP/PIC: 00000498




Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 91**Table: 9016787**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------|----------------------|--------|--------|-----------|
| 6 | 8090551 | 1 | VALVE | | | | |
| 10 | 8090552 | 1 | O-RING | | | | |
| 14 | 8090554 | 1 | OIL FILTER | | | | |
| 15 | 10296260 | 1 | SEAL GASKET | DIAM=28X36 MM SP=1,5 | | | |
| 16 | 10305440 | 1 | PLUG | M28X1,5 | | S | |
| 19 | 8090556 | 1 | CIRCLIP | | | | |
| 29 | 8090557 | 2 | O-RING | | | | |
| 36 | 8107191 | 1 | OIL FILTER | TECNOCAR | | | |
| 68 | 752221 | 1 | FILTER | | | | |

Table: 9016788**FORWARD****REVERSE**

• By request only - A richiesta - Sur demande - Auf Wunsch - Sobre pedido

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 91**Table: 9016788**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|---------------|--------|--------|-----------|
| 5 | 17090274 | 6 | WASHER | DIAM=10X20 MM | | | |
| 6 | 8090541 | 1 | O-RING | | | | |
| 9 | 8090879 | 1 | FLAT GASKET ENGINE | | | | |
| 10 | 8090542 | 1 | DRIVE BEARING | | | | |
| 14 | 8090543 | 1 | DRIVE BEARING | | | | |
| 18 | 8090880 | 2 | DRIVE BEARING | | | | |
| 21 | 8090544 | 2 | O-RING | | | | |
| 23 | 8090545 | 2 | O-RING | | | | |
| 25 | 8090881 | 9 | RING | | | | |
| 27 | 8090546 | 8 | RING | | | | |
| 28 | 8090547 | 2 | RING | | | | |
| 29 | 8090548 | 2 | CIRCLIP | | | | |
| 34 | 8090882 | 2 | CIRCLIP | | | | |
| 37 | 8090883 | 4 | DRIVE BEARING | | | | |
| 38 | 8090884 | 2 | DRIVE BEARING | | | | |
| 40 | 8090549 | 1 | O-RING | | | | |
| 44 | 8090885 | 1 | DRIVE BEARING | | | | |
| 46 | 8090886 | 1 | O-RING | | | | |
| 47 | 8090887 | 1 | O-RING | | | | |
| 52 | 8090550 | 1 | DRIVE BEARING | | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 60

Group: 60 35

Subgroup: 60 35 91**Table: 9016788**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------|----------------------|--------|--------|-----------|
| 56 | 17090274 | 6 | WASHER | DIAM=10X20 MM | | | |
| 61 | 16508460 | 1 | WASHER | DIAM=22X27 MM SP=1,5 | | | |
| 62 | 10305140 | 1 | LOCK PLUG | M22X1,5 | | | |
| 64 | 17090274 | 15 | WASHER | DIAM=10X20 MM | | | |
| 66 | 8090888 | 1 | DRIVE BEARING | | | | |
| 71 | 8090889 | 1 | DRIVE BEARING | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 60

Group: 60 56

Subgroup: 60 56 10

Table: 9013533



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 60

Group: 60 56

Subgroup: 60 56 10

Table: 9013533

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------|---------------|--------|--------|-----------|
| 1 | 8108788 | 1 | CARD | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 60

Group: 60 56

Subgroup: 60 56 90

Table: 9015772



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 60

Group: 60 56

Subgroup: 60 56 90**Table: 9015772**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------------|---------------|--------|--------|-----------|
| 1 | 8113276 | 1 | ENGINE-BRIDGE CONN. | | | | |
| 2 | 8108365 | 1 | CONNECTION | | | | |
| 3 | 8105629 | 1 | CONNECTION | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 60

Group: 60 56

Subgroup: 60 56 90

Table: 9015773



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 60

Group: 60 56

Subgroup: 60 56 90**Table: 9015773**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------------|---------------|--------|--------|-----------|
| 1 | 8113277 | 1 | ENGINE-BRIDGE CONN. | | | | |
| 2 | 8108365 | 1 | CONNECTION | | | | |
| 3 | 8105629 | 1 | CONNECTION | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 60

Group: 60 56

Subgroup: 60 56 90

Table: 9015774



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 60

Group: 60 56

Subgroup: 60 56 90**Table: 9015774**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------------|---------------|--------|--------|-----------|
| 1 | 8113278 | 1 | ENGINE-BRIDGE CONN. | | | | |
| 2 | 8108365 | 1 | CONNECTION | | | | |
| 3 | 8105629 | 1 | CONNECTION | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 76

Group: 76 03

Subgroup: 76 03 60

Table: 9008717



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 76

Group: 76 03

Subgroup: 76 03 60**Table: 9008717**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|---------------|--------|--------|-----------|
| 1 | 93161150 | 1 | KIT-GENERATOR | | | | |
| 2 | 79070377 | 1 | GENERATOR SUPPORT | | | | |
| 3 | 79070378 | 1 | GENERATOR ROTOR | | | | |
| 4 | 79070379 | 1 | GENERATOR STATOR | | | | |
| 5 | 79070380 | 1 | GENERATOR SUPPORT | ASSY | | | |
| 6 | 79070381 | 1 | RECTIFIER BRIDGE | | | | |
| 7 | 8190470 | 1 | VOLTAGE REGULATOR | MARELLI - 24V | | | |
| 8 | 10205820 | 1 | KEY | 4X6,5 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 76

Group: 76 03

Subgroup: 76 03 60

Table: 9016524



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 76

Group: 76 03

Subgroup: 76 03 60**Table: 9016524**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|---------------|--------|--------|-----------|
| 1 | 93160254 | 1 | PLATE | | | | |
| 2 | 8121108 | 1 | RING | | | | |
| 3 | 93160279 | 1 | CENTERING RING | | | | |
| 4 | 93160239 | 2 | SCREW | | | | |
| 5 | 93158421 | 1 | VOLTAGE REGULATOR | 28V | | | |
| 6 | 42491524 | 2 | SPRING | | | | |
| 7 | 93160245 | 1 | GASKET | M6X12 MM | | | |
| 8 | 93160236 | 1 | CARBON BRUSHES | M6X12 MM | S | | |
| 9 | 79093985 | 1 | SCREW | SP=0,5 MM | | | |
| 10 | 79074709 | 1 | CONDENSER | SP=0,5 MM | | | |
| 11 | 93190613 | 1 | SCREW | | | | |
| 12 | 9923766 | 1 | HEXAGON NUT | | S | | |
| 13 | 79074707 | 1 | KIT-GENERATOR | | | | |
| 14 | 93160275 | 1 | GENERATOR SUPPORT | | | | |
| 15 | 93160610 | 1 | SPRING | | | | |
| 16 | 93160278 | 1 | GENERATOR SUPPORT | ASSY | | | |
| 17 | 93160281 | 1 | GENERATOR STATOR | | | | |
| 18 | 93160280 | 1 | BUSH | | | | |
| 19 | 4757196 | 1 | GENERATOR FAN | BOSCH | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 76

Group: 76 03

Subgroup: 76 03 60

Table: 9016532



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 76

Group: 76 03

Subgroup: 76 03 60**Table: 9016532**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|---------------|--------|--------|-----------|
| 1 | 9940729 | 1 | STATOR | | | | |
| 2 | 9940298 | 1 | SUPPORT | | | | |
| 3 | 9969275 | 1 | ROTOR | | | | |
| 4 | 9940300 | 1 | GENERATOR SUPPORT | ASSY | | | |
| 5 | 9940293 | 1 | GENERATOR SUPPORT | ASSY | | S | |
| 6 | 79070385 | 1 | KIT-GENERATOR | | | S | |
| 7 | 93193292 | 1 | VOLTAGE REGULATOR | MARELLI - 12V | | | |
| 8 | 4479391 | 1 | SPACING BAR | | | C | |
| 9 | 11030321 | 3 | HEXAGON BOLT | M6X80 MM | | S | |
| 10 | 11200171 | 1 | SPRING WASHER | DIAM=15 MM | | S | |
| 11 | 12164021 | 1 | HEXAGON NUT | M14X1,5 | | S | |
| 12 | 14084211 | 3 | CASTLE NUT | M6 | | S | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10


Class: 76

Group: 76 03

Subgroup: 76 03 60

Table: 9016538

| ASSY NR.* | |
|-----------|--|
| 99461190 | |
| | |



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 76

Group: 76 03

Subgroup: 76 03 60**Table: 9016538**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|----------------|--------|--------|-----------|
| 1 | 9939754 | 1 | GENERATOR SUPPORT | | | | |
| 2 | 42531818 | 1 | GENERATOR SUPPORT | | | | |
| 3 | 79074705 | 1 | GENERATOR STATOR | | | | |
| 4 | 79022480 | 1 | CONDENSER | | | | |
| 5 | 1307188 | 1 | KIT-GENERATOR | KIT | | | |
| 6 | 93161165 | 1 | KIT-GENERATOR | | | | |
| 7 | 42491524 | 2 | SPRING | | | | |
| 8 | 93160239 | 2 | SCREW | | | | |
| 9 | 9939749 | 1 | BUSH | | S | | |
| 10 | 1905472 | 1 | BALL BEARING | | | | |
| 11 | 93155633 | 1 | PLATE | SP=0,5 MM | S | | |
| 12 | 93191997 | 1 | VOLTAGE REGULATOR | ASSY | | | |
| 13 | 93160236 | 1 | CARBON BRUSHES | M6X12 MM | S | | |
| 14 | 93192000 | 1 | THREADED PIN | | | | |
| 15 | 1905488 | 1 | BALL BEARING | | S | | |
| 16 | 42531817 | 1 | GENERATOR ROTOR | M12X1,75X90 MM | | | |
| 17 | 42531816 | 1 | RECTIFIER BRIDGE | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 76

Group: 76 03

Subgroup: 76 03 60

Table: 9017440



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 76

Group: 76 03

Subgroup: 76 03 60**Table: 9017440**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|---------------|--------|--------|-----------|
| 1 | 8097736 | 1 | ROTOR | | | | |
| 2 | 8097737 | 1 | GENERATOR STATOR | | | | |
| 3 | 8097738 | 1 | RECTIFIER | | | | |
| 4 | 8097735 | 1 | VOLTAGE REGULATOR | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 76

Group: 76 08

Subgroup: 76 08 50

Table: 9008108



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 76

Group: 76 08

Subgroup: 76 08 50**Table: 9008108**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|----------------|--------|--------|-----------|
| 1 | 8190144 | 1 | START.COUPL.LEVER | | | S | |
| 2 | 1309205 | 1 | RELAY | | | | |
| 3 | 79075906 | 1 | STARTER SUPPORT | | | | |
| 4 | 8122158 | 1 | STARTER ARMATURE | | | S | |
| 5 | 1308810 | 1 | STARTER SUPPORT | ASSY | | | |
| 6 | 1307038 | 1 | BUSH | ASSY | | | |
| 7 | 79033659 | 1 | STARTER PINION | ASSY | | | |
| 8 | 79033670 | 2 | BUSH | ASSY | | | |
| 9 | 8190143 | 1 | BUSH | ASSY | | | |
| 10 | 79033669 | 1 | SCREW | | | | |
| 11 | 1107283 | 1 | SPRING WASHER | DIAM=8,4X15 MM | | S | |
| 12 | 79045355 | 1 | KIT-STARTER | | | | |
| 13 | 1308813 | 2 | TIE ROD | | | S | |
| 14 | 1309463 | 3 | SCREW | | | S | |
| 15 | 8190148 | 1 | STARTER WINDING | | | | |
| 16 | 79033663 | 4 | SCREW | | | S | |
| 17 | 1308848 | 4 | SPRING | | | S | |
| 18 | 79075905 | 1 | COVER | ASSY | | | |
| 19 | 79026097 | 1 | BUSH | ASSY | | | |
| 21 | 17037821 | 2 | NUT | M6X1 | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 76

Group: 76 08

Subgroup: 76 08 50**Table: 9008108**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------------|---------------|--------|--------|-----------|
| 22 | 79026098 | 1 | COVER | | | | |
| 23 | 1298783 | 2 | SCREW | | | | |
| 24 | 1102800 | 2 | SPRING LOCKWASHER | DIAM=10 MM | | | |
| 25 | 1306937 | 2 | NUT | | S | | |
| 26 | 2985062 | 2 | STOP PLATE | | | | |
| 27 | 1105500 | 1 | CYLIND-HEAD SCREW | | | | |
| 28 | 8121732 | 1 | LOCKING PLATE | | | | |
| 29 | 8120277 | 1 | SCREW | | | | |
| 30 | 1308846 | 1 | CARBON BRUSHES | | S | | |
| 31 | 1308847 | 1 | STARTER SUPPORT | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 76

Group: 76 08

Subgroup: 76 08 50

Table: 9008120



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 76

Group: 76 08

Subgroup: 76 08 50**Table: 9008120**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|------------------|---------------|--------|--------|-----------|
| 1 | 79081044 | 1 | STARTER SUPPORT | | | | |
| 2 | 9927795 | 1 | STARTER SUPPORT | ASSY | | | |
| 3 | 79080376 | 1 | BRUSH HOLDER | | | | |
| 4 | 79080373 | 1 | STARTER ARMATURE | | | | |
| 5 | 79081045 | 1 | KIT-STARTER | | | | |
| 6 | 79081046 | 1 | KIT-STARTER | | | | |
| 7 | 79080375 | 1 | STARTER WINDING | | | | |
| 8 | 79081047 | 1 | COVER | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 76

Group: 76 08

Subgroup: 76 08 50

Table: 9008135



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 76

Group: 76 08

Subgroup: 76 08 50**Table: 9008135**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|------------------|---------------|--------|--------|-----------|
| 1 | 8093635 | 1 | STARTER SOLENOID | BOSCH | | S | |
| 2 | 9971882 | 1 | STARTER PINION | BOSCH | | S | |
| 3 | 8093634 | 1 | STARTER BRUSH | BOSCH | | S | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 77

Group: 77 31

Subgroup: 77 31 89

Table: 9005008



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 77

Group: 77 31

Subgroup: 77 31 89**Table: 9005008**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|---------------------|---------------|--------|--------|-----------|
| 1 | 4626466 | 1 | THREADED UNION | | | | |
| 2 | 1901605 | 1 | FUEL FILTER ELEMENT | PRIMARY | | | |
| 3 | 4626467 | 1 | SCREW CAP/PLUG | | | | |
| 4 | 4626468 | 1 | SEAL GASKET | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 77

Group: 77 50

Subgroup: 77 50 00

Table: 9003868



Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 77

Group: 77 50

Subgroup: 77 50 00**Table: 9003868**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-----------------|---------------|--------|--------|-----------|
| 3 | 42490269 | 1 | CENTERING RING | | | | |
| 4 | 9982960 | 2 | PARALLEL PIN | | | | |
| 5 | 9984028 | 2 | PARALLEL PIN | | | | |
| 8 | 9982964 | 1 | SCREW CONNECTOR | M6 | | S | |
| 9 | 79067806 | 1 | SHIM | SP=1 MM | | | |
| 10 | 79067807 | 1 | SHIM | SP=1,02 MM | | S | |
| 11 | 79067808 | 1 | SHIM | SP=1,04 MM | | | |
| 12 | 79067809 | 1 | SHIM | SP=1,06 MM | | | |
| 13 | 79067810 | 1 | SHIM | SP=1,08 MM | | | |
| 14 | 79067811 | 1 | SHIM | SP=1,1 MM | | | |
| 15 | 79067812 | 1 | SHIM | SP=1,12 MM | | | |
| 16 | 79067813 | 1 | SHIM | SP=1,14 MM | | | |
| 17 | 79067814 | 1 | SHIM | SP=1,16 MM | | | |
| 18 | 79067815 | 1 | SHIM | SP=1,18 MM | | | |
| 19 | 79067816 | 1 | SHIM | SP=1,2 MM | | | |
| 20 | 79067817 | 1 | SHIM | SP=1,22 MM | | | |
| 21 | 79067818 | 1 | SHIM | SP=1,24 MM | | | |
| 22 | 79067819 | 1 | SHIM | SP=1,26 MM | | | |
| 23 | 79067820 | 1 | SHIM | SP=1,28 MM | | | |
| 24 | 79067821 | 1 | SHIM | SP=1,3 MM | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 77

Group: 77 50

Subgroup: 77 50 00**Table: 9003868**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|-------------|---------------|--------|--------|-----------|
| 25 | 79067822 | 1 | SHIM | SP=1,32 MM | | | |
| 26 | 79067823 | 1 | SHIM | SP=1,34 MM | | | |
| 27 | 79067824 | 1 | SHIM | SP=1,36 MM | | | |
| 28 | 79067825 | 1 | SHIM | SP=1,38 MM | | | |
| 29 | 79067826 | 1 | SHIM | SP=1,4 MM | | | |
| 30 | 79067827 | 1 | SHIM | SP=1,42 MM | | | |
| 31 | 79067828 | 1 | SHIM | SP=1,44 MM | | S | |
| 32 | 79067829 | 1 | SHIM | SP=1,46 MM | | S | |
| 33 | 79067830 | 1 | SHIM | SP=1,48 MM | | | |
| 34 | 79067831 | 1 | SHIM | SP=1,5 MM | | S | |
| 35 | 79067832 | 1 | SHIM | SP=1,52 MM | | | |
| 36 | 79067833 | 1 | SHIM | SP=1,54 MM | | | |
| 37 | 79067834 | 1 | SHIM | SP=1,56 MM | | S | |
| 38 | 79067835 | 1 | SHIM | SP=1,58 MM | | | |
| 39 | 79067836 | 1 | SHIM | SP=1,6 MM | | | |
| 40 | 79067837 | 1 | SHIM | SP=1,62 MM | | S | |
| 41 | 79067838 | 1 | SHIM | SP=1,64 MM | | | |
| 42 | 79067839 | 1 | SHIM | SP=1,66 MM | | | |
| 43 | 79067840 | 1 | SHIM | SP=1,68 MM | | | |
| 44 | 79067841 | 1 | SHIM | SP=1,7 MM | | | |

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 77

Group: 77 50

Subgroup: 77 50 00**Table: 9003868**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|----------------|---------------|--------|--------|-----------|
| 45 | 79067842 | 1 | SHIM | SP=1,72 MM | | | |
| 46 | 79067843 | 1 | SHIM | SP=1,74 MM | | | |
| 47 | 79067844 | 1 | SHIM | SP=1,76 MM | | | |
| 48 | 79067845 | 1 | SHIM | SP=1,78 MM | | | |
| 49 | 79067846 | 1 | SHIM | SP=1,8 MM | | | |
| 50 | 79067847 | 1 | SHIM | SP=1,82 MM | S | | |
| 51 | 79067848 | 1 | SHIM | SP=1,84 MM | S | | |
| 52 | 79067849 | 1 | SHIM | SP=1,86 MM | | | |
| 53 | 79067850 | 1 | SHIM | SP=1,88 MM | | | |
| 54 | 79067851 | 1 | SHIM | SP=1,9 MM | S | | |
| 55 | 79067852 | 1 | SHIM | SP=1,92 MM | | | |
| 56 | 79067853 | 1 | SHIM | SP=1,94 MM | | | |
| 57 | 79067854 | 1 | SHIM | SP=1,96 MM | | | |
| 58 | 79067855 | 1 | SHIM | SP=1,98 MM | S | | |
| 59 | 8123620 | 1 | FASTENING RING | | | | |
| 60 | 9982961 | 1 | WASHER/PLATE | | S | | |
| 61 | 93163081 | 1 | SPRING | | | | |
| 62 | 1118641 | 2 | WASHER | DIAM=6X10 MM | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 86

Group: 86 00

Subgroup: 86 00 04

Table: 9013950



• ONLY SEPARATE PARTS ARE SERVICED - SI FORNISCONO SOLO LE PARTI - ON LIVRE SEULEMENT LES PIÈCES - AUF INZELTEILE LIEFERN - SOLO SE SUMINISTRAN LAS PIEZAS SUELTAS

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 86

Group: 86 00

Subgroup: 86 00 04**Table: 9013950**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|---------------|--------|--------|-----------|
| 1 | 8025054 | 1 | DASHBOARD | ASSY | | S | |
| 2 | 8110230 | 1 | HORN | | | | |
| 3 | 8110229 | 8 | WARNING LIGHT | | | | |
| 4 | 8109125 | 1 | RELAY | | | | |
| 5 | 8110226 | 1 | CAP | | | | |
| 6 | 8103708 | 1 | REOSTAT SWITCH | REAR | | | |
| 7 | 8025024 | 1 | PUSH BUTTON | STOP | | | |
| 8 | 8030617 | 1 | TACHO INDICATOR | 12V/24V | | S | |
| 9 | 8030616 | 1 | VOLTMETER | | | S | |
| 10 | 8030614 | 1 | WATER/OIL THERMOM. | 24V | | S | |
| 11 | 8030615 | 1 | PRESSURE GAUGE | 24V | | S | |
| 12 | 8110225 | 1 | DASHBOARD | | | | |
| 13 | 8110228 | 1 | CARD | REAR | | | |
| 14 | 8105629 | 1 | CONNECTION | | | | |
| 15 | 8108461 | 1 | SUPPORT | | | | |
| 16 | 8110216 | 1 | DASHBOARD | ASSY 24V | | | |
| 17 | 8094761 | 1 | WIRE/CABLE | | | | |

Frame:

VP/PIC: 00000498


Model: 8361SRM40.10

Class: 86

Group: 86 00

Subgroup: 86 00 04

Table: 9013951



• ONLY SEPARATE PARTS ARE SERVICED - SI FORNISCONO SOLO LE PARTI - ON LIVRE SEULEMENT LES PIÈCES - AUF INDIZIELLE LIEFESBAR - SOLO SE SUMINISTRAN LAS PIEZAS SUELTAS

Frame:

VP/PIC: 00000498

Model: 8361SRM40.10

Class: 86

Group: 86 00

Subgroup: 86 00 04**Table: 9013951**

| Pos. | Part Number | Qty. | Description | Standard Note | Modif. | Subst. | Time Sav. |
|------|-------------|------|--------------------|---------------|--------|--------|-----------|
| 1 | 8025310 | 1 | DASHBOARD | ASSY | | S | |
| 2 | 8110230 | 1 | HORN | | | | |
| 3 | 8110229 | 8 | WARNING LIGHT | | | | |
| 4 | 8109404 | 1 | RELAY | | | | |
| 5 | 8110226 | 1 | CAP | | | | |
| 6 | 8103708 | 1 | REOSTAT SWITCH | REAR | | | |
| 7 | 8025024 | 1 | PUSH BUTTON | STOP | | | |
| 8 | 8030617 | 1 | TACHO INDICATOR | 12V/24V | | S | |
| 9 | 8030620 | 1 | VOLTMETER | | | S | |
| 10 | 8030618 | 1 | WATER/OIL THERMOM. | 12V | | S | |
| 11 | 8030619 | 1 | PRESSURE GAUGE | 12V | | S | |
| 12 | 8110225 | 1 | DASHBOARD | | | | |
| 13 | 8110228 | 1 | CARD | REAR | | | |
| 14 | 8105629 | 1 | CONNECTION | | | | |
| 15 | 8108461 | 1 | SUPPORT | | | | |
| 16 | 8110215 | 1 | DASHBOARD | ASSY | | | |
| 17 | 8094761 | 1 | WIRE/CABLE | | | | |

